


TESLA
Technology for all



Its Best when we are together!



***"Technology should not be a privilege
for the few, but accessible to all"***

Nikola Tesla.

Contents

Company Profile	4 - 6
Panels	7 - 12
Air Conditioners	13 - 18
Air Purifiers	19 - 22
Washing Machines	23 - 26
Refrigerators	27 - 32
Chest Freezers	33 - 36
Free Standing Cookers	37 - 40
Vacuum Cleaners	41 - 44
Cooktops	45 - 48
Range Hoods	49 - 52
Built - in Ovens	53 - 56
Dishwashers	57 - 60
Small Domestic Appliances	61 - 72




Tesla Innovation DMCC, is headquartered in Dubai, with sales offices in Djibouti and Somalia. The Dubai office coordinates activities of the entire region, bringing the very latest in product offerings from the brand to its customers. We offer our customers the flexibility of mixed containers re-exported out of JAFZA or the DJIBOUTI FREE ZONE, as well as direct shipments from our global factories to end destinations.

We are a business focused on bringing affordable innovation to the region, with high-quality products that make sense for living our daily lives better. Our values reflect our dedication to delivering these high-quality products and services, building lasting relationships, and holding ourselves accountable to our core values.

Tesla brand presence

In over 30 countries spread across 5 continents. With customers spread the world vouching for product quality & performance, TESLA has close to 10% market share in its leading markets.



32+
Countries

4,500+
Dealers

3000+
Employees

325M+
€ Revenue

60+
Vendors

23,000+
Products

140+
Product groups

Product Range

At Tesla Innovation we believe technology should not be a privilege for the few, but a benefit for everyone. In keeping with this vision, Tesla Innovation is committed to bringing cutting edge technology in Consumer electronics and home appliances to the region, at affordable prices. The Tesla product portfolio includes air conditioners, panels, major domestic appliances & small kitchen appliances.



PANELS



KEY FEATURES



1.07 BILLION COLORS

QLED transforms your viewing. Quantum Dot tech delivers a billion colors for a vivid experience. Enjoy the brightest Tesla TV picture, remarkable contrast, and perfect detail.



STYLISH DESIGN

With its ultra-thin screen, minimalistic style, and low TV stand, it seamlessly complements any living room. It's equally elegant as a focal point.



MAGIC REMOTE

Make the magic remote your all-in-one solution for controlling devices. Use it like a computer mouse: zoom, scroll, navigate, and launch apps with ease.



AI VOICE RECOGNITION SYSTEM

The ThinQ AI voice system understands over 13 languages. Control your TV, search, play music, and browse using just your voice with the magic remote.



LET THE MUSIC PLAY

Experience a dancefloor in your living room with our Class-D amp and BOX speakers. Enjoy incredible TV sound, enhanced by the Music player app that lets you listen even with the screen off.



GOOGLE HOME INTEGRATION

Control any smart home device using the built-in Google Assistant: turn on the lights, turn down the heating, and much more.



BLUETOOTH DEVICES

Use your TV as a Bluetooth speaker or enjoy private entertainment with ease. Connect Bluetooth headphones and other devices like speakers, mouse, keyboard, and gamepad.



BUILT-IN CHROMECAST

Chromecast streams content from smart devices to the big screen in a few simple steps, allowing easy remote control from anywhere in your home.

QLED TVs



Q65K935SUS

SCREEN SIZE 65" (165CM)
COLOR SILVER/FRAMELESS
SMART OS WebOS
RESOLUTION 3840X2160 (QLED UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 3/2
AUDIO POWER 2X10W - TESLA TWO WAY BOX SPEAKERS



Q55K925SUS

SCREEN SIZE 55" (139CM)
COLOR SILVER/FRAMELESS
SMART OS WebOS
RESOLUTION 3840X2160 (QLED UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 3/2
AUDIO POWER 2X10W BOX SPEAKERS

SMART (ANDROID & WebOS) TELEVISIONS



85E939BUS

SCREEN SIZE 85" (216CM)
COLOR BLACK/FRAMELESS
SMART OS ANDROID 11
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI TBD



75K939BUS

SCREEN SIZE 75" (191CM)
COLOR SILVER/METAL
SMART OS WebOS
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI 3
USB 2
AUDIO POWER 2X10W - TESLA TWO WAY BOX SPEAKERS



75E939BUS

SCREEN SIZE 75" (191CM)
COLOR BLACK/FRAMELESS
SMART OS ANDROID 11
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°



65S906BUS

SCREEN SIZE 65" (165CM)
COLOR BLACK/FRAMELESS
SMART OS ANDROID TV 10
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 3/2
AUDIO POWER 2X12W (W/ FRONT SOUNDBAR)



65S635BUS

SCREEN SIZE 65" (165CM)
COLOR BLACK/FRAMELESS
SMART OS GOOGLE TV
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 3/2
AUDIO POWER 2X10W BOX SPEAKERS



65E635SUS

SCREEN SIZE 65" (165CM)
COLOR SILVER/FRAMELESS
SMART OS ANDROID 11
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 4/2
AUDIO POWER 2X12W BOX SPEAKERS



55S906BUS

SCREEN SIZE 55" (139CM)
COLOR BLACK/FRAMELESS
SMART OS ANDROID TV 10
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 3/2
AUDIO POWER 2X12W (W/ FRONT SOUNDBAR)



55S635BUS

SCREEN SIZE 55" (139CM)
COLOR BLACK/FRAMELESS
SMART OS GOOGLE TV
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 3/2
AUDIO POWER 2X10W BOX SPEAKERS



55E635SUS

SCREEN SIZE 55" (139CM)
COLOR SILVER/FRAMELESS
SMART OS ANDROID 11
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 4/2
AUDIO POWER 2X12W BOX SPEAKERS



50S635BUS

SCREEN SIZE 50" (127CM)
COLOR BLACK/FRAMELESS
SMART OS GOOGLE TV
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 3/2
AUDIO POWER 2X10W BOX SPEAKERS



50S635SUS

SCREEN SIZE 50" (127CM)
COLOR SILVER/FRAMELESS
SMART OS ANDROID 11
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 4/2
AUDIO POWER 2X10W BOX SPEAKERS



43S635SFS

SCREEN SIZE 43" (109CM)
COLOR SILVER/FRAMELESS
SMART OS GOOGLE TV
RESOLUTION 1920X1080 (FHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 2/2
AUDIO POWER 2X10W BOX SPEAKERS



43S635BUS

SCREEN SIZE 43" (109CM)
COLOR BLACK/FRAMELESS
SMART OS GOOGLE TV
RESOLUTION 1920X1080 (FHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°



43K625BUS

SCREEN SIZE 43" (109CM)
COLOR BLACK/FRAMELESS
SMART OS WebOS
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 3/2
AUDIO POWER 2X10W BOX SPEAKERS



43E635BFS

SCREEN SIZE 43" (109CM)
COLOR BLACK/FRAMELESS
SMART OS ANDROID 11
RESOLUTION 1920X1080 (FHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 3/2
AUDIO POWER 2X10W BOX SPEAKERS



43E635SUS

SCREEN SIZE 43" (109CM)
COLOR SILVER/FRAMELESS
SMART OS ANDROID 11
RESOLUTION 3840X2160 (UHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 4/4
AUDIO POWER 2X10W BOX SPEAKERS



40S635SFS

SCREEN SIZE 40" (101CM)
COLOR SILVER/FRAMELESS
SMART OS GOOGLE TV
RESOLUTION 1920X1080 (FHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°
HDMI/USB 2/2
AUDIO POWER 2X10W BOX SPEAKERS



40K635BFS

SCREEN SIZE 40" (101CM)
COLOR BLACK
SMART OS WebOS
RESOLUTION 1920X1080 (FHD)
TV TUNER CARD DVB-T/T2/C/S/S2
VIEWING ANGLE 178°/178°



40E635BFS

SCREEN SIZE	40" (101CM)
COLOR	BLACK/FRAMELESS ■
SMART OS	ANDROID 11
RESOLUTION	1920X1080 (FHD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	3/2
AUDIO POWER	2X10W BOX SPEAKERS



32E635SHS

SCREEN SIZE	32" (81CM)
COLOR	SILVER/FRAMELESS ■
SMART OS	GOOGLE TV
RESOLUTION	1366X768 (HD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	2/2
AUDIO POWER	2X10W BOX SPEAKERS



32E635BHS

SCREEN SIZE	32" (81CM)
COLOR	BLACK/FRAMELESS ■
SMART OS	ANDROID 11
RESOLUTION	1366X768 (HD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	3/2
AUDIO POWER	2X10W BOX SPEAKERS

VIDAA RANGE



65M325BUS

SCREEN SIZE	65" (165CM)
COLOR	BLACK/FRAMELESS ■
SMART OS	VIDAA
RESOLUTION	3840X2160 (UHD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°



55M325BUS

SCREEN SIZE	55" (139CM)
COLOR	BLACK/FRAMELESS ■
SMART OS	VIDAA
RESOLUTION	3840X2160 (UHD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°



50M325BUS

SCREEN SIZE	50" (127CM)
COLOR	BLACK/FRAMELESS ■
SMART OS	VIDAA
RESOLUTION	3840X2160 (UHD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	3/2
AUDIO POWER	2X10W BOX SPEAKERS



43M325BFS

SCREEN SIZE	43" (109CM)
COLOR	BLACK/FRAMELESS ■
SMART OS	VIDAA
RESOLUTION	1920X1080 (FHD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	3/2
AUDIO POWER	2X10W BOX SPEAKERS



40M325BFS

SCREEN SIZE	40" (101CM)
COLOR	BLACK/FRAMELESS ■
SMART OS	VIDAA
RESOLUTION	1920X1080 (FHD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°



32M325BHS

SCREEN SIZE	32" (81CM)
COLOR	BLACK/FRAMELESS ■
SMART OS	VIDAA
RESOLUTION	1366X768 (HD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	3/2
AUDIO POWER	2X10W BOX SPEAKERS

NON SMART TVs



43M325BF

SCREEN SIZE	43" (109CM)
COLOR	BLACK/FRAMELESS ■
RESOLUTION	1920X1080 (FHD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	3/2
AUDIO POWER	2X10W BOX SPEAKERS



43E325BF

SCREEN SIZE	43" (109CM)
COLOR	BLACK/FRAMELESS ■
RESOLUTION	1920X1080 (FHD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	3/2
AUDIO POWER	2X10W BOX SPEAKERS



40M325BF

SCREEN SIZE	40" (101CM)
COLOR	BLACK/FRAMELESS ■
RESOLUTION	1920X1080 (FHD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°



40E325BF

SCREEN SIZE	40" (101CM)
COLOR	BLACK/FRAMELESS ■
RESOLUTION	1920X1080 (FHD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	3/2
AUDIO POWER	2X10W BOX SPEAKERS



32M325BH

SCREEN SIZE	32" (81CM)
COLOR	BLACK/FRAMELESS ■
RESOLUTION	1366X768 (HD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	2/1
AUDIO POWER	2X10W BOX SPEAKERS



32E325BH

SCREEN SIZE	32" (81CM)
COLOR	BLACK/FRAMELESS ■
RESOLUTION	1366X768 (HD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	3/2
AUDIO POWER	2X10W



32C315SH

SCREEN SIZE	32" (80CM)
COLOR	SILVER/FRAMELESS ■
RESOLUTION	1366X768 (HD)
TV TUNER CARD	DVB-T/T2/C/S/S2
VIEWING ANGLE	178°/178°
HDMI/USB	2/1
AUDIO POWER	2X10W

KEY FEATURES



DESIGNED TO IMPRESS

Adjustable monitor with stand and pivot function to personalize your gaming experience. Sleek and sophisticated all black design with strong metal base.



SCREW-FREE DESIGN

Tesla uses the latest manufacturing trends to achieve stunning minimalist form. Screw free design makes our monitors appear as if made from one piece.



FLUID SYNCHRONIZATION

Advanced frame synchronization is enabled with contemporary AMD FreeSync technology. This means screen tearing becomes a thing of past, while gaming experience is taken to another level.

27MC925BQ



PANEL SIZE	27"
DISPLAY RESOLUTION	2560X1440
PANEL TYPE	IPS
REFRESH RATE	75 Hz
COLOR	BLACK <input checked="" type="checkbox"/>
BRIGHTNESS	260 cd/m2
CONTRAST RATIO	1000:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	5 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
DP 1.4	1
HDMI	1

27MC635SF



PANEL SIZE	27"
DISPLAY RESOLUTION	1920X1080
PANEL TYPE	8 bit IPS
REFRESH RATE	75 Hz
COLOR	SILVER <input type="checkbox"/>
BRIGHTNESS	330 cd/m2
CONTRAST RATIO	1200:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	5 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
DP 1.4	NO
HDMI	1.4
VGA INPUT	NO

27MC635GF



PANEL SIZE	27"
DISPLAY RESOLUTION	1920X1080
PANEL TYPE	8 bit IPS
REFRESH RATE	75 Hz
COLOR	BLACK <input checked="" type="checkbox"/>
BRIGHTNESS	330 cd/m2
CONTRAST RATIO	1200:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	8 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
HDMI	1.4
VGA INPUT	NO

32MC935BQ



PANEL SIZE	27"
DISPLAY RESOLUTION	2560X1440
PANEL TYPE	10 bit IPS
REFRESH RATE	75 Hz
COLOR	BLACK <input checked="" type="checkbox"/>
BRIGHTNESS	270 cd/m2
CONTRAST RATIO	1200:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	5 ms
AMD FREESYNC	YES
COLOR DEPTH	10 bit
HDMI	NO
VGA INPUT	NO

24MC635BF



PANEL SIZE	24"
DISPLAY RESOLUTION	1920X1080
PANEL TYPE	8 bit IPS
REFRESH RATE	75 Hz
COLOR	BLACK <input checked="" type="checkbox"/>
BRIGHTNESS	260 cd/m2
CONTRAST RATIO	1200:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	5 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
HDMI	1.4
VGA INPUT	NO

22MC335SF



PANEL SIZE	21.5"
DISPLAY RESOLUTION	1920X1080
PANEL TYPE	VA
REFRESH RATE	75 Hz
COLOR	SILVER <input type="checkbox"/>
BRIGHTNESS	337 cd/m2
CONTRAST RATIO	3000:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	8 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
DP 1.4	NO
HDMI	1
VGA INPUT	1

27MC925BQ



PANEL SIZE	27"
DISPLAY RESOLUTION	2560X1440
PANEL TYPE	IPS
REFRESH RATE	75 Hz
COLOR	BLACK ■
BRIGHTNESS	260 cd/m2
CONTRAST RATIO	1000:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	5 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
DP 1.4	1
HDMI	1

27MC625BF



PANEL SIZE	27"
DISPLAY RESOLUTION	1920X1080
PANEL TYPE	IPS
REFRESH RATE	75 Hz
COLOR	BLACK ■
BRIGHTNESS	250 cd/m2
CONTRAST RATIO	1000:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	5 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
DP 1.4	1
HDMI	1
VGA INPUT	1

24MC625BF



PANEL SIZE	24"
DISPLAY RESOLUTION	1920X1080
PANEL TYPE	IPS
REFRESH RATE	75 Hz
COLOR	BLACK ■
BRIGHTNESS	255 cd/m2
CONTRAST RATIO	1000:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	5 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
DP 1.4	1
HDMI	1
VGA INPUT	1

22MC625BF



PANEL SIZE	21.5"
DISPLAY RESOLUTION	1920X1080
PANEL TYPE	VA
REFRESH RATE	75 Hz
COLOR	BLACK ■
BRIGHTNESS	220 cd/m2
CONTRAST RATIO	4000:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	8 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
HDMI	1
VGA INPUT	1

27MT600BF



PANEL SIZE	27"
DISPLAY RESOLUTION	1920X1080
PANEL TYPE	VA
REFRESH RATE	75 Hz
COLOR	BLACK ■
BRIGHTNESS	250 cd/m2
CONTRAST RATIO	4000:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	5 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
HDMI	1
VGA INPUT	1

24MT600BF



PANEL SIZE	23.8"
DISPLAY RESOLUTION	1920X1080
PANEL TYPE	VA
REFRESH RATE	75 Hz
COLOR	BLACK ■
BRIGHTNESS	250 cd/m2
CONTRAST RATIO	4000:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	5 ms
AMD FREESYNC	YES
COLOR DEPTH	8 bit
HDMI	1
VGA INPUT	1

GAMING MONITOR.

27GM620BF



PANEL SIZE	27"
DISPLAY RESOLUTION	1920X1080
PANEL TYPE	FAST IPS
REFRESH RATE	165 Hz
COLOR	BLACK ■
BRIGHTNESS	400 cd/m2
CONTRAST RATIO	1000:1
VIEWING ANGLE	178°/178°
RESPONSE TIME	1 ms
AMD FREESYNC	YES
DP 1.4	2
HDMI	2

ADVENTURE IS FAST-PACED

- **Tesla fast IPS panel** combine the best of different technologies. Get ready for an adventure of a lifetime with a vivid picture, stunning color reproduction, great viewing angles and an amazing refresh rate of 165Hz!
- **Outstanding response time of just 1ms** reduces blurring and ghosting to a minimum, maximizing game intensity.
- Tesla Vision monitors are also compatible with **AMD FreeSync** and **NVIDIA G-Sync** technologies.

AIR CONDITIONERS



KEY FEATURES



HEPA FILTER

HEPA H11 filter successfully removes PM 2.5 particles, fine dust, microbes and pollen.



EASY CLEANING & WASHABLE FILTER

Easily clean the indoor unit filter with a few simple steps: disassemble your AC, replace the HEPA filter, clean the mesh filter, and reassemble.



3D/SMART AIRFLOW

Depending on the model, you can choose between different air dispersion positions available, such as blanket-style, shower-style, breeze etc.



LOW-NOISE AIRFLOW

Without decreasing the airflow volume, this device feature can help reduce noise levels of AC indoor unit by lowering the fan speed.



ADDITIONAL HEALTH FILTER: IONIZER

Ionizers help microorganisms settle, reducing inhalation risks. Ideal for allergy sufferers.



WI-FI

Control your Tesla air conditioner using Wi-Fi from your smartphone or smart devices for added convenience and comfort.

KEY FEATURES



NIGHT MODE

When this mode is activated, your AC can increase or decrease temperature by 1°C per hour during the first three hours.



A+++

When selecting an AC, prioritize energy efficiency. Wall-mounted AC models are typically rated A+ or higher, with the most efficient units reaching A+++



I FEEL

The remote control monitors the current temperature and signals the air conditioner to optimize room comfort.



ANTI-FUNGUS

After exiting cooling and dehumidifying mode, the air conditioner activates the Anti-fungus feature to inhibit the spread of fungi and bacteria, promoting a healthier environment.



SELF-DIAGNOSTIC

The air conditioner can self-monitor and detect issues with its components. When problems are identified, it automatically shuts off, displaying an error code on the indoor unit.




AUTO RESTART

The AC can automatically memorize the operation settings when power goes out unexpectedly, so it can restore them and continue working when the energy supply is back on.


COOLING ONLY ACs – ON OFF MODEL

TT68XA21-24410CA



TYPE	ON-OFF
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	2
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	2.4
INDOOR NOISE LEVEL (dB(A))	45
AMBIENT TEMPERATURE	-7-43
SUITABLE AREA (m²)	30-50

TT68XAC1-24410CA



TYPE	ON-OFF
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	2
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	2.4
INDOOR NOISE LEVEL (dB(A))	45
AMBIENT TEMPERATURE	-7-43
SUITABLE AREA (m²)	30-50

TT51XA21-18410CA



TYPE	ON-OFF
COOLING CAPACITY (BTU/H)	18000
COOLING CAPACITY (TON)	1.5
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1.8
INDOOR NOISE LEVEL (dB(A))	46
AMBIENT TEMPERATURE	-7-43
SUITABLE AREA (m²)	20-35

TT51XAC1-18410CA




TYPE	ON-OFF
COOLING CAPACITY (BTU/H)	18000
COOLING CAPACITY (TON)	1.5
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1.8
INDOOR NOISE LEVEL (dB(A))	46
AMBIENT TEMPERATURE	-7-43
SUITABLE AREA (m²)	20-35

TT34XA21-12410CA



TYPE	ON-OFF
COOLING CAPACITY (BTU/H)	12556.16
COOLING CAPACITY (TON)	1
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1.3
INDOOR NOISE LEVEL (dB(A))	37
AMBIENT TEMPERATURE	-7-43
SUITABLE AREA (m²)	12-19

TT34XAC1-12410CA




TYPE	ON-OFF
COOLING CAPACITY (BTU/H)	12556.16
COOLING CAPACITY (TON)	1
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1.3
INDOOR NOISE LEVEL (dB(A))	37
AMBIENT TEMPERATURE	-7-43
SUITABLE AREA (m²)	12-19

TT26XA21-09410CA



TYPE	ON-OFF
COOLING CAPACITY (BTU/H)	9041.8
COOLING CAPACITY (TON)	0.75
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1
INDOOR NOISE LEVEL (dB(A))	35
AMBIENT TEMPERATURE	-7-43
SUITABLE AREA (m²)	9-12

TT26XAC1-09410CA



TYPE	ON-OFF
COOLING CAPACITY (BTU/H)	9041.8
COOLING CAPACITY (TON)	0.75
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1
INDOOR NOISE LEVEL (dB(A))	35
AMBIENT TEMPERATURE	-7-43
SUITABLE AREA (m²)	9-12


COOLING ONLY ACs – INVERTER MODEL

TT68XA21-24410CA




TYPE	INVERTER
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	2
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	2.4
INDOOR NOISE LEVEL (dB(A))	45
AMBIENT TEMPERATURE	15-53
SUITABLE AREA (m²)	30-50

TT68XAC1-24410CA



TYPE	INVERTER
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	2
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	2.4
INDOOR NOISE LEVEL (dB(A))	45
AMBIENT TEMPERATURE	15-53
SUITABLE AREA (m²)	30-50

TT51XA21-18410CA



TYPE	INVERTER
COOLING CAPACITY (BTU/H)	18000
COOLING CAPACITY (TON)	1.5
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1.6
INDOOR NOISE LEVEL (dB(A))	46
AMBIENT TEMPERATURE	15-53
SUITABLE AREA (m²)	20-35

TT51XAC1-18410CA




TYPE	INVERTER
COOLING CAPACITY (BTU/H)	18000
COOLING CAPACITY (TON)	1.5
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1.6
INDOOR NOISE LEVEL (dB(A))	46
AMBIENT TEMPERATURE	15-53
SUITABLE AREA (m²)	20-35

TT34XA21-12410CA



TYPE	INVERTER
COOLING CAPACITY (BTU/H)	12000
COOLING CAPACITY (TON)	1
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1.2
INDOOR NOISE LEVEL (dB(A))	37
AMBIENT TEMPERATURE	15-53
SUITABLE AREA (m²)	15-23

TT34XAC1-12410CA




TYPE	INVERTER
COOLING CAPACITY (BTU/H)	12000
COOLING CAPACITY (TON)	1
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1.2
INDOOR NOISE LEVEL (dB(A))	37
AMBIENT TEMPERATURE	15-53
SUITABLE AREA (m²)	15-23

TT26XA21-09410CA



TYPE	INVERTER
COOLING CAPACITY (BTU/H)	9000
COOLING CAPACITY (TON)	0.75
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1
INDOOR NOISE LEVEL (dB(A))	34
AMBIENT TEMPERATURE	15-53
SUITABLE AREA (m²)	9-12

TT26XAC1-09410CA



TYPE	INVERTER
COOLING CAPACITY (BTU/H)	9000
COOLING CAPACITY (TON)	0.75
COMPRESSOR TYPE	ROTARY
MOISTURE REMOVAL (LITERS/H)	1
INDOOR NOISE LEVEL (dB(A))	34
AMBIENT TEMPERATURE	15-53
SUITABLE AREA (m²)	9-12

HEAT & COOL ACs – INVERTER TYPE

Price & specifications available on request



TT68XA21-24410A

TYPE	HEAT & COOL
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	2
COMPRESSOR TYPE	ROTARY
SUITABLE AREA (m²)	30-50



TT68XAC1-24410A

TYPE	HEAT & COOL
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	2
COMPRESSOR TYPE	ROTARY
SUITABLE AREA (m²)	30-50



TT51XA21-18410A

TYPE	HEAT & COOL
COOLING CAPACITY (BTU/H)	18000
COOLING CAPACITY (TON)	1.5
COMPRESSOR TYPE	ROTARY
SUITABLE AREA (m²)	20-35



TT51XAC1-18410A

TYPE	HEAT & COOL
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	1.5
COMPRESSOR TYPE	ROTARY
SUITABLE AREA (m²)	20-35



TT34XA21-12410A

TYPE	HEAT & COOL
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	1
COMPRESSOR TYPE	ROTARY
SUITABLE AREA (m²)	12-19



TT34XAC1-12410A

TYPE	HEAT & COOL
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	1
COMPRESSOR TYPE	ROTARY
SUITABLE AREA (m²)	12-19



TT26XA21-09410A

TYPE	HEAT & COOL
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	0.75
COMPRESSOR TYPE	ROTARY
SUITABLE AREA (m²)	9-12



TT26XAC1-09410A

TYPE	HEAT & COOL
COOLING CAPACITY (BTU/H)	24000
COOLING CAPACITY (TON)	0.75
COMPRESSOR TYPE	ROTARY
SUITABLE AREA (m²)	9-12

KEY FEATURES



WIFI

Thanks to the WiFi function, your AC can be controlled with a mobile phone or other smart devices.



DRAIN FREE TECHNOLOGY

In the cooling mode, the liquid goes back to the evaporator, so there is no need for the condensation drain hose.



FAN MODE

Air circulation function can be turned on without switching the AC on.



REMOTE CONTROL

Activate any option with an easy-to-use remote.

PORTABLE ACs



TTM-12CHW

REFRIGERANT TYPE	R290
NOISE LEVEL	63 dB
NOMINAL COOLING CAPACITY (kW)	3.2
NOMINAL HEATING CAPACITY (kW)	2.9



TTM-09CHW

REFRIGERANT TYPE	R290
NOISE LEVEL	62 dB
NOMINAL COOLING CAPACITY (kW)	2.64
NOMINAL HEATING CAPACITY (kW)	2.56



TTPSL-09CW

REFRIGERANT TYPE	R290
NOISE LEVEL	65 dB
NOMINAL COOLING CAPACITY (kW)	2.6



TTKA-12CHW

REFRIGERANT TYPE	R290
NOISE LEVEL	63 dB
NOMINAL COOLING CAPACITY (kW)	3.2
NOMINAL HEATING CAPACITY (kW)	2.9



AIR PURIFIERS



KEY FEATURES



CLEAN AIR, BETTER LIFE

Tesla air purifier makes sure that the air you breathe is perfectly fresh and clean.



AIR QUALITY SENSORS

Tesla's built-in air quality sensors display real-time pollution levels with color-changing LED icons, matching widely-used AQI values.



CARES FOR YOUR HEALTH

HEPA activated carbon filter removes air pollutants and bacteria, making sure that you and your loved ones spend time in a healthier environment




FEEL THE DIFFERENCE

Eliminate unwanted particles like dust, pollen, microbes, and mild spores with Tesla's high-efficiency air purifier and versatile filtration options.



PURE TECHNOLOGY AT HAND

All you need is Wi-Fi – and you'll get a breath of fresh air. Literally. Turn on your air purifier from anywhere and anytime using smart application.




SIMPLE, SMART, SLEEK

Tesla Air Purifier: Where Tech Meets High Performance. With a CADR of 300m³ per hour, it's pure efficiency.



AIR THAT YOU CAN TRUST

Monitor air quality effortlessly with Tesla's built-in sensors, displaying real-time pollution levels on color-changing LED icons using widely-recognized AQI values.



UV LAMP

To boost efficiency in eliminating viruses, bacteria, and mold, the Tesla air purifier includes a UV lamp as an extra layer of protection for your family.

MINI AIR PURIFIERS

Available in three stylish colors!



PI602W

OPERATION BY ONE CHARGE	180 HOURS
NEGATIVE ION EMISSION	UP TO 20 MILLION
EFFECTIVE AREA	50 CM RADIUS FROM THE DEVICE
CHARGING TYPE	USB - C
IONIZER	YES



PI600

OPERATION BY ONE CHARGE	180 HOURS
NEGATIVE ION EMISSION	UP TO 20 MILLION
EFFECTIVE AREA	50 CM RADIUS FROM THE DEVICE
CHARGING TYPE	USB - C



PI601B

OPERATION BY ONE CHARGE	180 HOURS
NEGATIVE ION EMISSION	UP TO 20 MILLION
EFFECTIVE AREA	50 CM RADIUS FROM THE DEVICE
CHARGING TYPE	USB - C
IONIZER	YES

ROOM AIR PURIFIERS



AIR9

POWER	85W
SMART WI-FI OPTION	NO
FILTRATION PERCENTAGE	99.97 %
OPERATING RANGE	96m ²
THE AMOUNT OF PURIFIED AIR (CADR)	800 m ³ /h
HUMIDIFIER	NO
FILTER TYPE	PRE-FILTER, HEPA+ACTIVATED CARBON
FILTER REPLACEMENT TIME	6 MONTHS
TIMER	YES
AUTOMATIC MODE	YES
FILTER REPLACEMENT INDICATOR	YES



AIR6 MAX

POWER	42W
SMART WI-FI OPTION	YES
FILTRATION PERCENTAGE	99.97 %
OPERATING RANGE	48m ²
THE AMOUNT OF PURIFIED AIR (CADR)	400 m ³ /h
HUMIDIFIER	-
FILTER TYPE	HEPA+ACTIVATED CARBON
FILTER REPLACEMENT TIME	6 MONTHS
TIMER	YES
AUTOMATIC MODE	YES
FILTER REPLACEMENT INDICATOR	YES



AIR6

POWER	68 W
SMART WI-FI OPTION	YES
FILTRATION PERCENTAGE	99.95%
OPERATING RANGE	36m ²
THE AMOUNT OF PURIFIED AIR (CADR)	300 m ³ /h
HUMIDIFIER	YES
FILTER TYPE	HEPA+ACTIVATED CARBON
FILTER REPLACEMENT TIME	6 MONTHS
TIMER	YES
AUTOMATIC MODE	YES
FILTER REPLACEMENT INDICATOR	YES



AIR3

POWER	-
SMART WI-FI OPTION	YES
FILTRATION PERCENTAGE	99.95%
OPERATING RANGE	22m ²
THE AMOUNT OF PURIFIED AIR (CADR)	200 m ³ /h
HUMIDIFIER	NO
FILTER TYPE	HEPA+ACTIVATED CARBON
FILTER REPLACEMENT TIME	6 MONTHS
TIMER	YES
AUTOMATIC MODE	YES
FILTER REPLACEMENT INDICATOR	YES



AIR3 LITE

POWER	30W
SMART WI-FI OPTION	NO
FILTRATION PERCENTAGE	99.5%
OPERATING RANGE	12m ²
THE AMOUNT OF PURIFIED AIR (CADR)	100 m ³ /h
HUMIDIFIER	NO
FILTER TYPE	HEPA+ACTIVATED CARBON
FILTER REPLACEMENT TIME	6 MONTHS
TIMER	YES
AUTOMATIC MODE	-
FILTER REPLACEMENT INDICATOR	YES



AIR PURIFIER TO GO!

Did you ever want to bring your air purifier with you and make sure you breathe healthier air throughout the day, wherever it takes you? Now you can, thanks to the new Tesla personal air purifier! This device is made to clean the air around the face of the person wearing it or around the surface it's placed on—for better quality air anytime, anywhere.



SMALL, BUT POWERFUL

With dimensions of only 39W x 75L x 20T mm, and weighing only 46 g, you can literally take it anywhere in a pocket, turn it on, and relax. While you're working, cooking, or simply having fun with friends, your small and discreet protector is always on guard, defending you from different harmful microorganisms, allergens, pollen, and dust.



SIMPLE & DURABLE

There are no filters you should worry about replacing or cleaning – simply turn the purifier on, and let it work for up to 180 hours with one charging! Feel free to make plans and pack for short travels knowing you get more than 7 days without having to worry about the battery. Once the lithium polymer battery is empty, it only takes 3 hours to charge.



DESIGN TO PROTECT

If you're dreading the pollen season, the good news is that wearing a personal air purifier can also provide relief for people with allergies. Tesla personal air purifier cleans the air around you by emitting negative ions. Negative ions clean the air by attaching to the harmful particles, creating new, larger ones, which then fall to the ground, away from the person's face.



MODERN & SILENT

Available in black, white, navy blue, and orange, this device is designed to look great while cleaning the air you breathe. You can wear it on an adjustable strap around your neck, place it on a device holder on any available surface, or attach it using a visor clip (available optionally). It is also very silent – there are no noisy fans or motors to distract you.



EASY & CONVENIENT

This personal air purifier comes with a USB Type-C charging cable and also has an LED indicator that changes colors for your convenience. The blue light will gently blink while the device is cleaning the air, while the red one blinks to indicate charging. Once the charging is complete, the green light turns back on automatically.

WASHING MACHINES



KEY FEATURES



DIAMOND DRUM

This feature removes stains efficiently, minimizes tearing, and includes a light indicator for drum self-cleaning reminders.



START DELAY UP TO 24

Need to postpone the washing? Just choose a time that fits your needs - up to 24 hours in advance.



CHILD LOCK

Looking for a way to prevent children playing with the controls, or even unintentional use? The Child Lock function is a perfect solution.



BLDC MOTOR

The BLDC (Inverter) motor offers over 70% energy savings compared to traditional motors.



HAND WASH

Opt for the Hand Wash cycle for your delicate laundry, mimicking manual washing.



DAILY WASH 15

Perfect for lightly soiled small loads, this quick cycle washes and rinses in just 15 minutes, saving you time and money.



NIGHT MODE

NIGHT MODE If you prefer nighttime laundry or seek quieter operation, activate our night mode feature.



BABY CARE

Our Baby Care cycle ensures spotless, efficient rinsing, and skin-friendly cleaning for children's clothes.

FRONT-LOADING WASHING MACHINES



WF121493M/G

WASHING CAPACITY	12KG
SPIN SPEED	1400 RPM
DEPTH (CM)	59.5
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	16
DELAY START	YES (24 HOURS)
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	595 x 595 x 850 MM
COLOR	WHITE <input type="checkbox"/>



WF121492M/G

WASHING CAPACITY	12KG
SPIN SPEED	1400 RPM
DEPTH (CM)	59.5
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	16
DELAY START	YES (24 HOURS)
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	595 x 595 x 850 MM
COLOR	WHITE <input type="checkbox"/>



WF121490M/G

WASHING CAPACITY	12KG
SPIN SPEED	1400 RPM
DEPTH (CM)	59.5
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	16
DELAY START	YES (24 HOURS)
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	595 x 595 x 850 MM
COLOR	WHITE <input type="checkbox"/>



WF101593M/G

WASHING CAPACITY	10KG
SPIN SPEED	1500 RPM
DEPTH (CM)	56.5
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	16
DELAY START	YES (24 HOURS)
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	595 x 565 x 850 MM
COLOR	WHITE <input type="checkbox"/>



WF101592M/G

WASHING CAPACITY	10KG
SPIN SPEED	1500
DEPTH (CM)	56.5
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	16
DELAY START	YES (24 HR)
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	595 x 565 x 850 MM
COLOR	WHITE <input type="checkbox"/>



WF101590M/G

WASHING CAPACITY	10 KG
SPIN SPEED	1500
DEPTH (CM)	56.5
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	16
DELAY START	YES (24 HOURS)
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	595 x 565 x 850 MM
COLOR	WHITE <input type="checkbox"/>



WF91490M

WASHING CAPACITY	9 KG
SPIN SPEED	1400 RPM
DEPTH (CM)	56.5 CM
ENERGY CLASS	F
DISPLAY TYPE	LED
PROGRAMS	-
DELAY START	YES (24 HOURS)
NOISE LEVEL	40 dB
DIMENSIONS (WxDxH) (MM)	595 x 565 x 850 MM
COLOR	WHITE <input type="checkbox"/>



WF81493M

WASHING CAPACITY	8 KG
SPIN SPEED	1400 RPM
DEPTH (CM)	56.5 CM
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	16
DELAY START	YES (24 HOURS)
NOISE LEVEL	76 dB
DIMENSIONS (WxDxH) (MM)	595 X 565 X 850 MM
COLOR	WHITE <input type="checkbox"/>



WF81492M

WASHING CAPACITY	8 KG
SPIN SPEED	1400 RPM
DEPTH (CM)	56.5 CM
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	16
DELAY START	YES (24 HOURS)
NOISE LEVEL	76 dB
DIMENSIONS (WxDxH) (MM)	595 X 565 X 850 MM
COLOR	WHITE <input type="checkbox"/>



WF81490MS

WASHING CAPACITY	8 KG
SPIN SPEED	1400 RPM
DEPTH (CM)	56.5 CM
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	14
DELAY START	YES (24 HOURS)
NOISE LEVEL	76 dB
DIMENSIONS (WxDxH) (MM)	595 x 565 x 850 MM
COLOR	SILVER <input type="checkbox"/>



WF71490M

WASHING CAPACITY	7 KG
SPIN SPEED	1400 RPM
DEPTH (CM)	49.5 CM
ENERGY CLASS	D
DISPLAY TYPE	LED
PROGRAMS	16
DELAY START	YES (24 HOURS)
NOISE LEVEL	76 dB
DIMENSIONS (WxDxH) (MM)	595 X 495 X 850 MM
COLOR	WHITE <input type="checkbox"/>



WF71261M

WASHING CAPACITY	7 KG
SPIN SPEED	1200 RPM
DEPTH (CM)	40 CM
ENERGY CLASS	D
DISPLAY TYPE	NO
PROGRAMS	23
DELAY START	YES (3/5/9 HOURS)
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	595 X 400 X 850
COLOR	WHITE <input type="checkbox"/>





WF71231M

WASHING CAPACITY	7 KG
SPIN SPEED	1200 RPM
DEPTH (CM)	40 CM
ENERGY CLASS	D
DISPLAY TYPE	LED
PROGRAMS	23
DELAY START	YES (3/6/9 HOURS)
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	595 X 400 X 850 MM
COLOR	WHITE <input type="checkbox"/>



WF60831M

WASHING CAPACITY	6.5 KG
SPIN SPEED	800 RPM
DEPTH (CM)	40 CM
ENERGY CLASS	E
DISPLAY TYPE	NO
PROGRAMS	23
DELAY START	YES (3/6/9 HOURS)
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	595 X 400 X 850 MM
COLOR	WHITE <input type="checkbox"/>



WF61062M

WASHING CAPACITY	6.5 KG
SPIN SPEED	1000 RPM
DEPTH (CM)	40 CM
ENERGY CLASS	E
DISPLAY TYPE	LED
PROGRAMS	23
DELAY START	YES (24 HOURS)
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	595 X 400 X 850 MM
COLOR	WHITE <input type="checkbox"/>



WF61032M

WASHING CAPACITY	6.5 KG
SPIN SPEED	1000 RPM
DEPTH (CM)	40 CM
ENERGY CLASS	E
DISPLAY	NO
PROGRAMS	23
DELAY START	YES (3/6/9 HOURS)
NOISE LEVEL	74 dB
DIMENSIONS (WxDxH) (MM)	595 X 400 X 850
COLOR	WHITE <input type="checkbox"/>

TOP-LOADING WASHING MACHINES



WL126560C/G

WASHING CAPACITY	10KG
SPIN SPEED	650 RPM
DEPTH (CM)	595
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	9
DELAY START	1-24H
NOISE LEVEL	72 dB
DIMENSIONS (WxDxH) (MM)	580 X 625 X 960 MM
COLOR	WHITE <input type="checkbox"/>



WL106890C/G

WASHING CAPACITY	10KG
SPIN SPEED	680 RPM
DEPTH (CM)	595
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	9
DELAY START	1-24H
NOISE LEVEL	72 dB
DIMENSIONS (WxDxH) (MM)	550 X 582 X 940 MM
COLOR	SILVER <input type="checkbox"/>



WL106860C/G

WASHING CAPACITY	10KG
SPIN SPEED	680 RPM
DEPTH (CM)	595
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	8
DELAY START	1-24H
NOISE LEVEL	72 dB
DIMENSIONS (WxDxH) (MM)	550 X 588 X 920 MM
COLOR	WHITE <input type="checkbox"/>



WL87460C/G

WASHING CAPACITY	8KG
SPIN SPEED	740 RPM
DEPTH (CM)	595
ENERGY CLASS	B
DISPLAY TYPE	LED
PROGRAMS	8
DELAY START	1-24H
NOISE LEVEL	72 dB
DIMENSIONS (WxDxH) (MM)	520 X 558 X 900 MM
COLOR	WHITE <input type="checkbox"/>



WL71291M

WASHING CAPACITY	75KG
SPIN SPEED	1200
DEPTH (CM)	595
ENERGY CLASS	C
DISPLAY TYPE	LED
PROGRAMS	16
DELAY START	YES
NOISE LEVEL	80 dB
DIMENSIONS (WxDxH) (MM)	400 X 670 X 875 MM
COLOR	WHITE <input type="checkbox"/>

REFRIGERATORS




KEY FEATURES



TOTAL NO FROST

Keeps your food frost-free and odors separate for fresher, faster cooling in both fridge and freezer compartments.



SUPER COOLING

Thirsty for ice cold drink, very fast? No worries – our useful super cooling feature is here to the rescue, just in time for an important game or a favorite movie.



SUPER FREEZING

Maximize freshness! Activate super-freezing for quicker freezing, preserving nutrients in your freezer goodies. Nutrient-packed bites, always ready.



ICE MAKER

Ice on demand! Tesla's built-in ice maker, perfect for hosting friends with up to 1.5 kg of ice storage.



WATER DISPENSER

Quench your thirst instantly with the external water dispenser feature. No more bottled water clutter in the fridge - just pure convenience!



DOOR ALARM

Stay cool, close that door! Hear a beep if you leave the fridge open too long, a friendly reminder to keep things chill and save energy.



DC INVERTER COMPRESOR

The inverter compressor ensures quiet operation, steady cooling, less energy use, and a longer motor life.



REVERSIBLE DOOR DESIGN

Flexible fridge style! Adjust your fridge door to open left or right to match your kitchen flow. Easy setup with the magnetic rubber door.

MULTI DOOR



RM6400FMX1

NET VOLUME (L)	441 + 975 + 975
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	E
FREEZING CAPACITY (KG/24H)	9
NET VOLUME FRIDGE	441
NET VOLUME FREEZER	975
NOISE LEVEL	43
COLOR	INOX ■
DIMENSIONS (mm)	905 X 1935 X 775



RM5300FHX

NET VOLUME (L)	523L (344L + 179L)
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	F
FREEZING CAPACITY (KG/24H)	9
NET VOLUME FRIDGE	41
NET VOLUME FREEZER	INOX ■
COLOR	90.9 X 69 X 190
DIMENSIONS (mm)	



RF5200FMA

NET VOLUME (L)	341 + 171
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	E
FREEZING CAPACITY (KG/24H)	14
NET VOLUME FRIDGE	341
NET VOLUME FREEZER	171
NOISE LEVEL	40
COLOR	DARK INOX ■
DIMENSIONS (mm)	833 X 648 X 1898 (WxDxH)



RF5100FMB

NET VOLUME (L)	341 + 170
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	E
FREEZING CAPACITY (KG/24H)	12
NET VOLUME FRIDGE	341
NET VOLUME FREEZER	170
NOISE LEVEL	40
COLOR	BLACK ■
DIMENSIONS (mm)	833 X 648 X 1898 (WxDxH)



RM4700FHB

NET VOLUME (L)	291 + 175
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	E
FREEZING CAPACITY (KG/24H)	13
NET VOLUME FRIDGE	291
NET VOLUME FREEZER	175
NOISE LEVEL	39
COLOR	BLACK ■
DIMENSIONS (mm)	795x735x1800 (WxDxH)



RM3400FHX1

NET VOLUME (L)	237 + 125
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	F
FREEZING CAPACITY (KG/24H)	14
NET VOLUME FRIDGE	237
NET VOLUME FREEZER	125
NOISE LEVEL	40
COLOR	INOX ■
DIMENSIONS (mm)	790 X 1800 X 620 (WxDxH)



BOTTOM FREEZER



RC3400FHX1

NET VOLUME (L)	243 + 104
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	F
FREEZING CAPACITY (KG/24H)	15
NET VOLUME FRIDGE	243
NET VOLUME FREEZER	104
NOISE LEVEL	40
COLOR	INOX ■
DIMENSIONS (mm)	600 X 1950 X 685



RC3200FHX1

NET VOLUME (L)	210 + 83
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	F
FREEZING CAPACITY (KG/24H)	3.5
NET VOLUME FRIDGE	210
NET VOLUME FREEZER	83
NOISE LEVEL	40
COLOR	INOX ■
DIMENSIONS (mm)	600 X 1850 X 600



RC3100H1

NET VOLUME (L)	219 + 96
COOLING TECHNOLOGY	AUTOMATIC DEFROST
ENERGY CLASS	F
FREEZING CAPACITY (KG/24H)	4
NET VOLUME FRIDGE	219
NET VOLUME FREEZER	96
NOISE LEVEL	42
COLOR	WHITE □
DIMENSIONS (mm)	600 X 590 X 1855 (WxDxH)



RC2600H

NET VOLUME (L)	191 + 71
COOLING TECHNOLOGY	MANUAL
ENERGY CLASS	E
FREEZING CAPACITY (KG/24H)	3.2
NET VOLUME FRIDGE	191
NET VOLUME FREEZER	71
NOISE LEVEL	40
COLOR	INOX ■
DIMENSIONS (mm)	550 X 1800 X 560



RC2600HX

NET VOLUME (L)	191 + 71
COOLING TECHNOLOGY	MANUAL
ENERGY CLASS	F
FREEZING CAPACITY (KG/24H)	3.2
NET VOLUME FRIDGE	191
NET VOLUME FREEZER	71
NOISE LEVEL	40
COLOR	WHITE □
DIMENSIONS (mm)	55 X 56 X 180

SIDE BY SIDE



RB5210FHXI

NET VOLUME (L)	344 + 169
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	E
FREEZING CAPACITY (KG/24H)	12
NET VOLUME FRIDGE	344
NET VOLUME FREEZER	169
NOISE LEVEL	39
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (mm)	900 X 660 X 1770 (WXDXH)



RB5200FMX1

NET VOLUME (L)	338 + 181 + 16
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	F
FREEZING CAPACITY (KG/24H)	10
NET VOLUME FRIDGE	338
NET VOLUME FREEZER	181
NOISE LEVEL	41
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (mm)	897 X 1880 X 761



RB5210FHX

NET VOLUME (L)	344 + 185
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	E
FREEZING CAPACITY (KG/24H)	14
NET VOLUME FRIDGE	344
NET VOLUME FREEZER	185
NOISE LEVEL	40
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (mm)	900*660*1770 (WXDXH)



RB4600FMX

NET VOLUME (L)	271 + 189
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	F
FREEZING CAPACITY (KG/24H)	12
NET VOLUME FRIDGE	271
NET VOLUME FREEZER	189
NOISE LEVEL	41
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (mm)	835X635X1775 (WXDXH)



RB4300FHX

NET VOLUME (L)	291 + 148
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	F
NOISE LEVEL	55
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (mm)	90 X 59 X 177 (WXDXH)



RB4300FHB

NET VOLUME (L)	291 + 151
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	F
FREEZING CAPACITY (KG/24H)	112
NET VOLUME FRIDGE	291
NET VOLUME FREEZER	151
NOISE LEVEL	40
COLOR	BLACK <input checked="" type="checkbox"/>
DIMENSIONS (mm)	904*572*1770 (W*D*H)

DOUBLE DOOR



RD4800FHS/G

NET VOLUME (L)	480
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	F
COLOR	SILVER <input checked="" type="checkbox"/>
DIMENSIONS (mm)	79 X 68 X 178 (WXDXH)



RD3400FHS/G

NET VOLUME (L)	334
COOLING TECHNOLOGY	TOTAL NO FROST
ENERGY CLASS	F
COLOR	SILVER <input checked="" type="checkbox"/>
DIMENSIONS (mm)	60 X 67 X 170 (WXDXH)



RD2500H/G

NET VOLUME (L)	198+50
COOLING TECHNOLOGY	MANUAL DEFROSTING
ENERGY CLASS	F
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	55 X 58 X 166 (WXDXH)



RD2101HS/G

NET VOLUME (L)	169+37
COOLING TECHNOLOGY	MANUAL DEFROSTING
ENERGY CLASS	F
NOISE LEVEL	40
COLOR	SILVER <input checked="" type="checkbox"/>
DIMENSIONS (mm)	54.5 X 55.5 X 143 (WXDXH)



RD2101H1

NET VOLUME (L)	169 + 37
COOLING TECHNOLOGY	AUTOMATIC DEFROST
ENERGY CLASS	F
FREEZING CAPACITY (KG/24H)	2.4
NET VOLUME FRIDGE	169
NET VOLUME FREEZER	37
NOISE LEVEL	40
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	545 X 1430 X 555 (WXDXH)



RD1800H/G

NET VOLUME (L)	135+46
COOLING TECHNOLOGY	MANUAL DEFROSTING
ENERGY CLASS	F
NOISE LEVEL	40
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	50 X 58 X 137 (WXDXH)



RD1400H/G

NET VOLUME (L)	39+45
COOLING TECHNOLOGY	MANUAL DEFROSTING
ENERGY CLASS	F
NOISE LEVEL	40
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	48 X 53 X 137 (WXDXH)

SINGLE DOOR



RS2400H1

NET VOLUME (L)	235
COOLING TECHNOLOGY	AUTOMATIC DEFROST
ENERGY CLASS	F
NOISE LEVEL	40
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	550 X 1420 X 550 (WxDxH)



RS2300H1/G

NET VOLUME (L)	204+14
COOLING TECHNOLOGY	MANUAL DEFROSTING
ENERGY CLASS	F
NOISE LEVEL	40
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	55 X 58 X 142 (WxDxH)



RS1300M1

NET VOLUME (L)	130
COOLING TECHNOLOGY	MANUAL DEFROST
ENERGY CLASS	F
NOISE LEVEL	39
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	553 X 845 X 574 (WxDxH)



RS1300M1

NET VOLUME (L)	130
COOLING TECHNOLOGY	MANUAL DEFROST
ENERGY CLASS	F
NET VOLUME FRIDGE	130
NOISE LEVEL	39
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	553 X 845 X 574 (WxDxH)



RS1100MB

NET VOLUME (L)	97 + 16
COOLING TECHNOLOGY	MANUAL DEFROST
ENERGY CLASS	F
NET VOLUME FRIDGE	97
NOISE LEVEL	39
COLOR	BLACK <input type="checkbox"/>
DIMENSIONS (mm)	553 X 845 X 574 (WxDxH)



RS1100M1

NET VOLUME (L)	97 + 16
COOLING TECHNOLOGY	MANUAL DEFROST
ENERGY CLASS	F
NET VOLUME FRIDGE	97
NOISE LEVEL	39
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	553 X 845 X 574 (WxDxH)



RS0903M1


NET VOLUME (L)	93
COOLING TECHNOLOGY	MANUAL DEFROST
ENERGY CLASS	F
NET VOLUME FRIDGE	93
NOISE LEVEL	41
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	472 X 850 X 450 (WxDxH)



RS0400M1


NET VOLUME (L)	43
COOLING TECHNOLOGY	MANUAL DEFROST
ENERGY CLASS	F
NET VOLUME FRIDGE	43
NOISE LEVEL	41
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	472 X 492 X 450 (WxDxH)

BUILT-IN



RI2500H

NET VOLUME (L)	179 + 70
COOLING TECHNOLOGY	DEFROST
ENERGY CLASS	F
NET VOLUME FRIDGE	179
NOISE LEVEL	39
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	575 X 560 X 1840 (WxDxH)



RI1300H1

NET VOLUME (L)	129
COOLING TECHNOLOGY	AUTOMATIC DEFROST
ENERGY CLASS	F
NET VOLUME FRIDGE	129
NOISE LEVEL	39
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	540 X 880 X 540 (WxDxH)



RI1200H1

NET VOLUME (L)	104 + 14
COOLING TECHNOLOGY	AUTOMATIC DEFROST
ENERGY CLASS	F
NET VOLUME FRIDGE	140
NOISE LEVEL	39
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (mm)	540 X 880 X 540 (WxDxH)

A DIFFERENT
SHADE OF
ELEGANCE.



TOTAL NO FROST

Total No Frost is a function based on the circulation of cold air that reduces humidity and prevents the accumulation of frost on the food in the refrigerator and ice on the walls of the freezer compartment.

The refrigerator and freezer compartments have separate airflow, ensuring that odors cannot mix between the compartments. Unlike conventional systems, Total No Frost cools both separate units faster.



INVERTER COMPRESSOR

The inverter compressor allows the appliance to operate quietly, ensuring uninterrupted cooling, reducing temperature fluctuations & power consumption, and also extending motor lifespan.



DOOR ALARM

A beeping signal will sound if you leave the refrigerator door open for longer than is recommended, reminding you to close it and stop the warm air from raising the inside temperature.



F ENERGETIC CLASS

According to the new energy classification, this refrigerator belongs to class F. Compared to other appliances, this refrigerator consumes less electricity, so it protects the environment and saves money through lower electricity costs. Our appliances are equipped with excellent thermal insulation, improved door protection, firstclass cooling system components, and electronic controls that reduce energy consumption to a minimum.



MULTI AIR FLOW SYSTEM

Keeping a constant temperature in the fridge is important, which is why Multi and DynaCool Air Flow systems distribute the air evenly into every part of the device, keeping it constantly ideal.



WATER DISPENSE

An external water dispenser is a convenient addition to this model, allowing you easy access to cold water anytime. Forget about loads of bottled water in the fridge, and enjoy this simple alternative!

CHEST FREEZERS



KEY FEATURES



2-IN-1: A FREEZER OR A FRIDGE

This Tesla device is convertible, which means you can use it both as a freezer or a fridge. Thanks to the adjustable temperature setting, you can switch back and forth between the two modes.



POWER FAILURE SAFE STORAGE

In case of a power shut down, the freezer can keep the temperature stable for more than 30 hours.



LOW OPERATIONAL SOUND

Quiet compressors and noise-absorbing copper pipes allow the fridge to work almost silently.



MAXI BOX IN FREEZER

Bought a large piece of meat or a king size ice-cream? Not a problem – the maxi box in your freezer will store even the largest groceries.



STRONG & BALANCED HINGE

Strong hinges make the door stable in positions between 45 and 90 degrees. You can take out or stack the groceries without holding it!



FRONTAL WATER DEFROST DRAIN

In order to make defrosting even easier, the defrost drain is easily accessible on the freezer front side.



TRENDY ITALIAN DESIGN

We work with an amazing team of Italian designers to achieve a contemporary look outside and inside of the fridge, as well as a great finishing touch.



R600A REFRIGERANT

Absorbs the heat faster when compared to other gasses, enabling a more energy efficient cooling.



RH1500M

NET VOLUME (L) 142
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 6.5
TYPE OF TEMP. CONTROL MECHANICAL
NOISE LEVEL 41
COLOR ☐ WHITE
DIMENSIONS (mm) 632X850X550 (WXHXD)



RH1500H/G

NET VOLUME (L) 142
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 6.5
TYPE OF TEMP. CONTROL MECHANICAL
NOISE LEVEL 41
COLOR ☐ WHITE
DIMENSIONS (mm) 71 X 55 X 85 (WXHXD)



RH2000H1

NET VOLUME (L) 198
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 11
TYPE OF TEMP. CONTROL ELECTRONIC
NOISE LEVEL 40
COLOR ☐ WHITE
DIMENSIONS (mm) 905 X 845 X 550 (WXHXD)



RH2000M1

NET VOLUME (L) 198
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 9
TYPE OF TEMP. CONTROL MECHANICAL
NOISE LEVEL 41
COLOR ☐ WHITE
DIMENSIONS (mm) 816X850X550 (WXHXD)



RH2000M1/G

NET VOLUME (L) 198
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 9
TYPE OF TEMP. CONTROL MECHANICAL
NOISE LEVEL 41
COLOR ☐ WHITE
DIMENSIONS (mm) 812 X 55 X 85 (WXHXD)



RH2900H

NET VOLUME (L) 287
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 14
TYPE OF TEMP. CONTROL ELECTRONIC
NOISE LEVEL 40
COLOR ☐ WHITE
DIMENSIONS (mm) 1090 X 850 X 620 (WXHXD)



RH5000H/G

NET VOLUME (L) 508
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 9
TYPE OF TEMP. CONTROL MECHANICAL
COLOR ☐ WHITE
DIMENSIONS (mm) 164 X 70 X 87 (WXHXD)



DOUBLE DOOR



RH7000H/G

NET VOLUME (L) 708
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 9
TYPE OF TEMP. CONTROL MECHANICAL
COLOR ☐ WHITE
DIMENSIONS (mm) 191 X 82 X 87 (WXHXD)



DOUBLE DOOR




RU0900M1

NET VOLUME (L) 83
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 6
TYPE OF TEMP. CONTROL MECHANICAL
NOISE LEVEL 41
COLOR ☐ WHITE
DIMENSIONS (mm) 553 X 845 X 574 (WXHXD)



RU0800H1

NET VOLUME (L) 91
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 4
TYPE OF TEMP. CONTROL MECHANICAL
NOISE LEVEL 40
COLOR ☐ WHITE
DIMENSIONS (mm) 550 X 850 X 580 (WXHXD)



RU1700H

NET VOLUME (L) 168
ENERGY CLASS F
FREEZING CAPACITY (KG/24H) 7.8
TYPE OF TEMP. CONTROL MECHANICAL
NOISE LEVEL 40
COLOR ☐ WHITE
DIMENSIONS (mm) 544x571x1426 (WXHXD)



RH2800H/G

NET VOLUME (L) 272
ENERGY CLASS F
TYPE OF TEMP. CONTROL ELECTRONIC
COLOR ☐ WHITE
DIMENSIONS (mm) 60 X 65 X 185 (WXHXD)





FREE STANDING COOKERS



KEY FEATURES



FASTER COOKING

Prepare all your favorite meals even faster: rely on our highly efficient gas burners.



AUTOMATIC GAS SHUTDOWN

Safety first: this device function registers the absence of gas and shuts the supply down automatically.



SIMPLE IGNITION

Thanks to a special button, the gas burner can be lit quickly and safely.



MINIMUM ENERGY, MAXIMUM PERFORMANCE

Compared to equivalent products, Tesla's A Energy Class ovens save power by using less electric energy.



RESIDUAL HEAT INDICATORS

The signal lights will warn you about certain areas still being hot – do not touch them as long as the lights are on.



REMOVABLE DOOR PLATE

Every Tesla freestanding cooker has a removable door, allowing an easy access and cleaning.



FOR TASTIER BITES

The turbo grill oven, allowing an even temperature, will make your dishes taste great. Every bite will be a true pleasure!



FULL GLASS PANEL

The oven door is made of full glass, without any bolts.

GAS COOKERS



CG9500SX

TYPE OF HOB	5 GAS BURNERS
COLOR	INOX <input type="checkbox"/>
DIMENSION	90 X 60cm
OVEN CAPACITY (L)	48 L
OVEN	BOTTOM AND UPPER GAS BURNERS



CG6400SW

TYPE OF HOB	4 GAS BURNERS
COLOR	WHITE <input type="checkbox"/>
DIMENSION	60 X 60cm
OVEN CAPACITY (L)	63 L
OVEN	BOTTOM AND GAS BURNERS



CG6400SX

TYPE OF HOB	4 GAS BURNERS
COLOR	WHITE <input type="checkbox"/>
DIMENSION	60 X 60cm
OVEN CAPACITY (L)	63 L
OVEN	BOTTOM AND GAS BURNERS



CG5400SW

TYPE OF HOB	4 GAS BURNERS
COLOR	WHITE <input type="checkbox"/>
DIMENSION	50 X 55cm
OVEN CAPACITY (L)	48 L
OVEN	BOTTOM GAS BURNERS



COMBINED COOKERS



CM6220SX

TYPE OF HOB	MIXED HOB WITH 2 HOT PLATES + 2 GAS BURNERS
COLOR	INOX <input type="checkbox"/>
DIMENSION	60 X 60cm
OVEN CAPACITY (L)	56 L
ENERGY CLASS	A
OVEN	FAN ASSISTED WITH GRILL



CM6220SW

TYPE OF HOB	MIXED HOB WITH 2 HOT PLATES + 2 GAS BURNERS
COLOR	WHITE <input type="checkbox"/>
DIMENSION	50 X 60cm
OVEN CAPACITY (L)	56 L
ENERGY CLASS	A
OVEN	FAN ASSISTED WITH GRILL



CM5220SX

TYPE OF HOB	MIXED HOB WITH 2 HOT PLATES + 2 GAS BURNERS
COLOR	INOX <input type="checkbox"/>
DIMENSION	50 X 60cm
OVEN CAPACITY (L)	43 L
ENERGY CLASS	A
OVEN	FAN ASSISTED WITH GRILL



CM5220SW

TYPE OF HOB	MIXED HOB WITH 2 HOT PLATES + 2 GAS BURNERS
COLOR	WHITE <input type="checkbox"/>
DIMENSION	50 X 60cm
OVEN CAPACITY (L)	43 L
ENERGY CLASS	A
OVEN	FAN ASSISTED WITH GRILL



INDUCTION COOKERS



CS6400SX

TYPE OF HOB	4 HOT PLATES (2 RAPID)
COLOR	INOX <input type="checkbox"/>
DIMENSION	60 X 60cm
OVEN CAPACITY (L)	62 L
ENERGY CLASS	A
OVEN	CONVENTIONAL WITH GRILL



CS6400SW

TYPE OF HOB	4 HOT PLATES (2 RAPID)
COLOR	WHITE <input type="checkbox"/>
DIMENSION	60 X 60cm
OVEN CAPACITY (L)	62 L
ENERGY CLASS	A
OVEN	CONVENTIONAL WITH GRILL



CS5400SX

TYPE OF HOB	4 HOT PLATES (2 RAPID)
COLOR	INOX <input type="checkbox"/>
DIMENSION	50 X 55cm
OVEN CAPACITY (L)	48 L
ENERGY CLASS	A
OVEN	CONVENTIONAL WITH GRILL



CS5400SW

TYPE OF HOB	4 HOT PLATES (2 RAPID)
COLOR	WHITE <input type="checkbox"/>
DIMENSION	50 X 55cm
OVEN CAPACITY (L)	48 L
ENERGY CLASS	A
OVEN	CONVENTIONAL WITH GRILL



CERAMIC TOP COOKERS



CV6400SX

TYPE OF HOB	VITROCERAMIC WITH 4 ZONES
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSION	60 X 60cm
OVEN CAPACITY (L)	56 L
ENERGY CLASS	A
OVEN	FAN ASSISTED WITH GRILL



CV6400SW

TYPE OF HOB	VITROCERAMIC WITH 4 ZONES
COLOR	WHITE <input checked="" type="checkbox"/>
DIMENSION	60 X 60cm
OVEN CAPACITY (L)	56 L
ENERGY CLASS	A
OVEN	FAN ASSISTED WITH GRILL



CV5400SX

TYPE OF HOB	VITROCERAMIC WITH 4 ZONES
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSION	50 X 60cm
OVEN CAPACITY (L)	43 L
ENERGY CLASS	A
OVEN	FAN ASSISTED WITH GRILL



CV5400SW

TYPE OF HOB	VITROCERAMIC WITH 4 ZONES
COLOR	WHITE <input checked="" type="checkbox"/>
DIMENSION	60 X 60cm
OVEN CAPACITY (L)	43 L
ENERGY CLASS	A
OVEN	FAN ASSISTED WITH GRILL



VACUUM CLEANERS



KEY FEATURES

ROBOT VACUUM CLEANER



LASER NAVIGATION

Sensor aids device in learning house layout and obstacle locations for efficient cleaning in complex environments.



ROUTE PLANNING

The robot optimizes cleaning with efficient pathfinding, recognizing and smoothly navigating around obstacles.



SCHEDULED CLEANING

Schedule robot for convenient cleaning even when you're away.



POWERFUL SUCTION

Strong motor (up to 3000 Pa) for highly efficient floor dirt removal.



VCR600W

NAVIGATION	LASER LDS + SLAM
BATTERY CAPACITY	5200 (mAh)
SUCTION VACUUM PRESSURE (PA)	600/1200/2500/3000
DUST TANK CAPACITY (ML)	600
FILTER	HEPA, PRIMARY FILTER, SPONGE FILTER
POWER	50
COLOR	WHITE <input type="checkbox"/>
BATTERY PACK	14.4 V
CHARGING TIME (H)	4.5
NOISE LEVEL (DB)	55/60/65/70
POWER CONSUMPTION (W)	50
POWER PLUG	EURO
POWER CORD LENGTH FOR ADAPTOR (CM)	150
WEIGHT (KG)	3.3/5.8

HANDSTICK VACUUM CLEANERS



SMART DUST SENSOR

Smart dust sensor boosts cleaning efficiency by adjusting suction based on dust levels.




THREE-STAGE FILTRATION

Triple filter system enhances dust collection, maintains clear air duct, and prevents dust return.



HOUSE CLEANING OIN ONE GO

Replaceable battery for 60 mins of continuous cleaning. Easy charging and reliable use.



PRO FLEX FOLDING TUBE

Pro Flex technology for easy access, no uncomfortable bending. Dust-detecting light for efficient cleaning.



HS500GF

MOTOR TYPE	BRUSHLESS DC DIGITAL MOTOR
VACUUM PRESSURE (PA)	1000-23000
BATTERY CAPACITY	2500
TANK CAPACITY (ML)	600
POWER	400 W
COLOR	DARK GREY, BLACK, SILVER <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
NUMBER OF SPEED LEVELS	5
NOISE LEVEL TEST (DB)	75
FILTRATION	HEPA
CLEANING HEAD MOTOR	NO
WEIGHT (KG)	3.91
SAFETY PROTECTION	YES
BATTERY PACK	25.9V, 7 - CELL
CHARGING TIME (H)	5
CHARGING INDICATION	YES
POWER CORD LENGTH FOR ADAPTOR (CM)	175



HS300WX

MOTOR TYPE	BRUSHLESS (BLDC)
VACUUM PRESSURE (PA)	18000 / 9000
BATTERY CAPACITY	2200
TANK CAPACITY (ML)	200
POWER	200 W
COLOR	WHITE - GREY <input type="checkbox"/> <input type="checkbox"/>
NUMBER OF SPEED LEVELS	2
NOISE LEVEL TEST (DB)	71
FILTRATION	HEPA
CLEANING HEAD MOTOR	YES
WEIGHT (KG)	2.4
SAFETY PROTECTION	BATTERY AND PCB BOARD
BATTERY PACK	18.5V - DETACHABLE
CHARGING TIME (H)	5 - 6
CHARGING INDICATION	BATTERY POWER INDICATION
POWER CORD LENGTH FOR ADAPTOR (CM)	150

KEY FEATURES

BAGGED VACUUM CLEANERS



WASHABLE HEPA FILTER

With an antibacterial, washable HEPA filter, this vacuum cleaner helps capture fine dust particles.



SILENT VACUUMING

We have reduced the sound output on our quiet devices – but with no performance loss.



SIMPLE CLEANING

With a long cord, hose and tube, this Tesla vacuum cleaner allows you to clean a wide area of your home.



BG600G

POWER	700 W
WORKING RADIUS	10 m
NOISE LEVEL (dB)	61
BAG CAPACITY (L)	3
FILTER	WASHABLE HEPA
COLOR	GREY <input type="checkbox"/>
POWER LEVELS	4
TUBE	YES
TUBE DIMENSION	54 cm / 90 cm
WEIGHT (kg)	7,80
CABLE LENGTH (cm)	700



BG400W

POWER	700 W
WORKING RADIUS	10 m
NOISE LEVEL (dB)	68
BAG CAPACITY (L)	3
FILTER	WASHABLE HEPA
COLOR	WHITE <input type="checkbox"/>
POWER LEVELS	MIN - MAX
TUBE	YES
TUBE DIMENSION	54 cm / 90 cm
WEIGHT (kg)	6,20
CABLE LENGTH (cm)	700



BG300G

POWER	800 W
WORKING RADIUS	8 m
NOISE LEVEL (dB)	76
BAG CAPACITY (L)	3,5
FILTER	WASHABLE HEPA
COLOR	GREY <input type="checkbox"/>
POWER LEVELS	MIN - MAX
TUBE	YES
TUBE DIMENSION	56 cm / 94 cm
WEIGHT (kg)	6,10
CABLE LENGTH (cm)	500



BG200R

POWER	800 W
WORKING RADIUS	8 m
NOISE LEVEL (dB)	76
BAG CAPACITY (L)	2
FILTER	WASHABLE HEPA
COLOR	RED <input type="checkbox"/>
POWER LEVELS	MIN - MAX
TUBE	YES
TUBE DIMENSION	56 cm / 94 cm
WEIGHT (kg)	5,20
CABLE LENGTH (cm)	500

BAGLESS VACUUM CLEANERS



SUPER POWER

Powerful suction for swift, thorough cleanup on various surfaces at home.



IMPROVED STABILITY

Large wheels for enhanced stability during home cleaning.



SILENT VACUUMING

We have reduced the sound output on our quiet devices – but with no performance loss.



BGL400BR

POWER	800 W
WORKING RADIUS	8 m
NOISE LEVEL (dB)	72
BAG CAPACITY (L)	2,5
FILTER	WASHABLE HEPA
COLOR	BLACK - RED - SILVER <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
POWER LEVELS	MIN - MAX
TUBE	YES
TUBE DIMENSION	61 cm / 100 cm
WEIGHT (kg)	6,60
CABLE LENGTH (cm)	500



BGL202BGE

POWER	800 W
WORKING RADIUS	8 m
NOISE LEVEL (dB)	78
BAG CAPACITY (L)	2,5
FILTER	WASHABLE HEPA
COLOR	BLACK - GREY <input type="checkbox"/> <input type="checkbox"/>
POWER LEVELS	MIN - MAX
TUBE	YES
TUBE DIMENSION	48 cm / 79 cm
WEIGHT (kg)	6,10
CABLE LENGTH (cm)	500




BGL201BR

POWER	2200 W
WORKING RADIUS	8 m
NOISE LEVEL (dB)	79
BAG CAPACITY (L)	2,5
FILTER	WASHABLE HEPA
COLOR	BLACK - RED <input type="checkbox"/> <input type="checkbox"/>
POWER LEVELS	MIN - MAX
TUBE	YES
TUBE DIMENSION	48 cm / 79 cm
WEIGHT (kg)	6,20
CABLE LENGTH (cm)	500



A FLEXIBLE WAY TO CLEAN YOUR HOME

Powerful and portable Tesla cordless vacuum cleaner with a new foldable design which allows you to effortlessly clean all the areas of your home.



SMART DUST SENSOR

A smart dust sensor increases cleaning efficiency, device longevity and battery life by detecting high dust levels and increasing suction power through five different levels, as needed. This allows the device to effectively clean areas with more dirt using increased suction power.



PRO FLEX FOLDING TUBE

Designed with Pro Flex bending technology to provide access to unreachable and low areas, there's no need for bending or vacuuming in awkward positions. It also includes a dust-detecting light that illuminates areas with dust, allowing more efficient and thorough cleaning.



SUPER VACUUMING

Outstanding and powerful suction power enables high cleaning efficiency and helps capture all dust particles, from the smallest gaps in the carpet, the floor or corners.



HOUSE CLEANING IN ONE GO

Featuring a removable and replaceable high-performance battery, this vacuum cleaner allows for up to 60 minutes of uninterrupted cleaning time. The battery can be charged outside of the device and easily replaced, ensuring extended and reliable use of the vacuum cleaner.



THREE-STAGE FILTRATION

A triple separate filter system improves the dust collection capacity, keeps the air duct unobstructed, and prevents the return of dust to the room through the suction channel. In addition to this, this filter system can also reduce the number of allergens in the air, making it an ideal choice.

COOKTOPS



KEY FEATURES



BOOST

Need a boost? The turbo booster enables rapid heating and cooking. It is activated and deactivated with a simple touch.



CHILD LOCK

Simply touch the icon to activate the Child lock option and make every following command invalid. The cooktop continues to work according to the last command before being locked. A three-second touch is all it takes to unlock it.



AUTO SWITCH OFF SAFETY

When a built-in heat sensor registers very high temperatures, the cooktop automatically switches off.



SCHOTT CERAN®

SCHOTT CERAN GLASS

Tesla cooktops are made from high-quality Schott Ceran® glass ceramics.



BEVELLED EDGES

Looking for an elegant finish? We paid special attention to polishing the edges, ensuring they fit seamlessly into any kitchen interior.



ENERGY EFFICIENCY

The energy efficiency of induction cooktops is 90%. This is quite a difference in comparison to standard stove burners, whose energy efficiency is below 62%.



MAXIMUM SAFETY

Safety first! We've paid special attention to safety of our cooktops with gas burners. Each of them is equipped with a "Flame Failure Safety Device" which prevents gas leakage and potential danger to you and your loved ones.



LPG TO NG CONVERSION KIT

You have choices - Tesla gas cooktops can use both propane-butane and natural gas, according to your wishes and preferences.

INDUCTION COOKTOPS




HI6400TB

HEATING ZONES	4
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SLIDE TOUCH
POWER LEVELS	9
TOTAL POWER	7000 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 60 X 520 mm



HI6400SB

HEATING ZONES	4
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	8200 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 520 X 60 mm



HI6400MB

HEATING ZONES	4
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	7000 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 520 X 60 mm



HI6300TB

HEATING ZONES	3
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SLIDE TOUCH
POWER LEVELS	9
TOTAL POWER	6500 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 60 X 520 mm



HI6300MB

HEATING ZONES	3
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	7000 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 520 X 57 mm



HI6200TB

HEATING ZONES	4
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SLIDE TOUCH
POWER LEVELS	9
TOTAL POWER	7200 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 58 X 520 mm



HI3200TB

HEATING ZONES	2
COOKTOP WIDTH (mm)	300
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	3500 W
TIMER	120 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	290 X 60 X 520 mm



HI3200MB

HEATING ZONES	2
COOKTOP WIDTH (mm)	288
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	3500 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	288 X 520 X 58 mm



HI3200SB

HEATING ZONES	2
COOKTOP WIDTH (mm)	300
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	3250 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	300 X 520 X 60 mm

GLASS-CERAMIC COOKTOPS



HV6410TB

HEATING ZONES	4
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	6500 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 50 X 520 mm



HV6410MX

HEATING ZONES	4
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	6600 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 520 X 55 mm



HV6401TB

HEATING ZONES	4
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	6000 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 50 X 520 mm



HV6400TB

HEATING ZONES	4
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	6000 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 50 X 520 mm



HV6400SB

HEATING ZONES	4
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	6000 W
TIMER	NO
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 520 X 60 mm



HV6400MB

HEATING ZONES	4
COOKTOP WIDTH (mm)	590
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	6000 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	590 X 520 X 55 mm



HV3200TB

HEATING ZONES	2
COOKTOP WIDTH (mm)	300
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	3000 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	290 X 50 X 520 mm



HV3200SB

HEATING ZONES	2
COOKTOP WIDTH (mm)	300
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	2900 W
TIMER	NO
COLOR	BLACK GLASS ■
DIMENSIONS	300 X 520 X 60 mm



HV3200MB

HEATING ZONES	2
COOKTOP WIDTH (mm)	288
TYPE OF CONTROL	SENSOR TOUCH
POWER LEVELS	9
TOTAL POWER	3000 W
TIMER	99 (min)
COLOR	BLACK GLASS ■
DIMENSIONS	288 X 520 X 55 mm





RANGE HOODS

TESLA

OFF MIN MED MAX 0

KEY FEATURES



CARBON FILTERS

With the help of carbon filters, the air in your kitchen will be clean and refreshed.



LED LIGHTING SYSTEM

When compared to conventional lighting systems, LED powered lighting consumes less energy. It also adds to the elegant look and a unique atmosphere of your kitchen!



FILTER CLEAN SENSOR

A warning system will notify you exactly when it is time to replace or clean your ALU filter.



TELESCOPIC CHIMNEY

No matter how high your kitchen ceiling is, with the help of a telescopic chimney, you can use different models of hoods. Thanks to the telescopic (double) chimney system, the inner chimney can extend out to any preferred height.



MOTOR POWER DESIGN

Thanks to a special motor design, our hoods work energy efficiently, keeping the noise level low. Depending on your kitchen size, choose between different levels of ventilation power.



DISHWASHER SAFE FILTERS

Our ALU filters are safe to be washed in dishwashers.

DECORATIVE HOODS



DD600SB

SUCTION POWER	446 m3/h
NUMBER OF MOTORS	1
LIGHTING	2 X 125 W
NOISE LEVEL (dB)	58
COLOR	BLACK GLASS ■
WIDTH (cm)	60



DD600SG

SUCTION POWER	500 m3/h
NUMBER OF MOTORS	1
LIGHTING	LED 1 X 15 W
NOISE LEVEL (dB)	63
COLOR	INOX / GLASS ■
WIDTH (cm)	60



CHIMNEY HOODS



DC600SX

SUCTION POWER	400 m3/h
NUMBER OF MOTORS	1
LIGHTING	1 X 15 W
NOISE LEVEL (dB)	62
COLOR	INOX ■
WIDTH (cm)	60



TELESCOPIC HOODS



DT620SX

SUCTION POWER	460 m3/h
NUMBER OF MOTORS	2
LIGHTING	1 X 5 W
NOISE LEVEL (dB)	65
COLOR	INOX ■
WIDTH (cm)	60



DT600SX

SUCTION POWER	280 m3/h
NUMBER OF MOTORS	1
LIGHTING	1 X 5 W
NOISE LEVEL (dB)	65
COLOR	INOX ■
WIDTH (cm)	60



KITCHEN HOODS



DB600SX

SUCTION POWER	280 m3/h
NUMBER OF MOTORS	1
LIGHTING	1 X 5 W
NOISE LEVEL (dB)	65
COLOR	INOX ■
WIDTH (cm)	60



DB600SB

SUCTION POWER	280 m3/h
NUMBER OF MOTORS	1
LIGHTING	1 X 5 W
NOISE LEVEL (dB)	65
COLOR	INOX ■
WIDTH (cm)	60



DB600SW

SUCTION POWER	280 m3/h
NUMBER OF MOTORS	1
LIGHTING	1 X 5 W
NOISE LEVEL (dB)	65
COLOR	WHITE ■
WIDTH (cm)	60





BUILT-IN OVENS



KEY FEATURES



EASY TO CLEAN CAVITY AND TRAYS

The inside of the oven is made out of one piece, creating an easy to clean, smooth surface.



STRONG DOOR HINGES

Door hinges can handle a load of up to 22,5 kilograms, guaranteeing stable door opening and closing.



STEAM CLEANING

Here comes an elegant and quick cleaning solution! Simply pour two glasses of water into a large pan and turn the oven to 70 degrees for half an hour.



POP-UP KNOBS

Press the knob once for it to pop out, and when you press it again – the oven will go back to being flat and compact.



HIGH AND LOW GRILL

Thanks to the different grill intensity levels, you can prepare food any way you prefer – all energy efficiently.



3D FUNCTION

This option allows the heat to flow evenly, quickly raising the temperature in the oven.



DOUBLE BLACK GLASS DOOR

Modern double glass door is heat-reflective, making the oven exterior safe to touch.



REMOVABLE DOOR PLATE

Every Tesla built-in oven has a removable door, allowing an easy access and cleaning.

BUILT-IN OVENS



B0900MX

CAPACITY	70 L
NUMBER OF FUNCTIONS	9
ENERGY CLASS	A
TYPE OF CONTROL	DISPLAY
TOTAL POWER	3000 W
COLOR	INOX ■
WIDTH	60 cm



B0900SX

CAPACITY	80 L
NUMBER OF FUNCTIONS	8
ENERGY CLASS	A
TYPE OF CONTROL	6 TOUCH DISPLAY
TOTAL POWER	2500 W
COLOR	INOX ■
WIDTH	60 cm



B0800SX

CAPACITY	60 L
NUMBER OF FUNCTIONS	8
ENERGY CLASS	A
TYPE OF CONTROL	3 TOUCH DISPLAY
TOTAL POWER	2300 W
COLOR	INOX ■
WIDTH	60 cm



B0700SX

CAPACITY	56 L
NUMBER OF FUNCTIONS	5
ENERGY CLASS	A
TYPE OF CONTROL	3 TOUCH DISPLAY
TOTAL POWER	2300 W
COLOR	INOX ■
WIDTH	60 cm



B0600MB

CAPACITY	65 L
NUMBER OF FUNCTIONS	8
ENERGY CLASS	A
TYPE OF CONTROL	MECHANICAL WITH TIMER
TOTAL POWER	2100 W
COLOR	BLACK GLASS ■
WIDTH	60 cm



B0600SX

CAPACITY	60 L
NUMBER OF FUNCTIONS	5
ENERGY CLASS	A
TYPE OF CONTROL	MECHANICAL WITH TIMER
TOTAL POWER	2300 W
COLOR	INOX ■
WIDTH	60 cm



B0300MX

CAPACITY	70 L
NUMBER OF FUNCTIONS	4
ENERGY CLASS	A
TYPE OF CONTROL	MECHANICAL
TOTAL POWER	2100 W
COLOR	BLACK GLASS ■
WIDTH	60 cm



B0300SX

CAPACITY	56 L
NUMBER OF FUNCTIONS	5
ENERGY CLASS	A
TYPE OF CONTROL	MECHANICAL
TOTAL POWER	2300 W
COLOR	INOX ■
WIDTH	60 cm



DISHWASHERS



KEY FEATURES



EASY TO CONTROL

In order to start the dishwasher, simply choose one of the predefined programs.



CHILD LOCK

The child lock feature is especially important for households with small children, as it prevents them from accidentally activating the device during playtime.



INTENSE CLEANING

The water streams intensity is adjusted to provide maximum performance, in order for the dishes to be perfectly clean.



EXTRA DRYING

For all those dishes that need extra drying, we've added an additional useful option that is compatible with Intensive, Universal, ECO, Glass and 90 minutes programs. It allows you to customize the washing cycle and adjust it to different needs, as well as avoid the dishes coming out covered in water droplets.



DELAY START

Did you know you can schedule the dishwasher start time up to 24 hours in advance? Each time you press the button, the start is delayed for an hour.



ECO PROGRAM

A standard program suitable for everyday dirty dishes – pots, plates, glasses or slightly soiled frying pans.



EXTRA DRAWER

We've included an extra drawer for cutlery or objects that are typically difficult to store, namely long cutlery, so you can wash more in a single load.



OVERFLOW PROTECTION

Thanks to the Electronic Aqua-stop & OverFlow Protection features, Tesla dishwashers can automatically stop working and pump the water out if a leakage is registered, in order to prevent flooding.

FREE-STANDING DISHWASHERS



WD490MX

WASH CAPACITY	10
NUMBER OF PROGRAMS	7
ENERGY CLASS	E
NOISE LEVE	47 dB
DELAY START	1-24 H
HALF LOAD	YES
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (cm)	448×60×84.5



WD490MW

WASH CAPACITY	10
NUMBER OF PROGRAMS	8
ENERGY CLASS	E
NOISE LEVE	47 dB
DELAY START	1-24 H
HALF LOAD	YES
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (cm)	448×60×84.5



WD690MW

WASH CAPACITY	14
NUMBER OF PROGRAMS	7
ENERGY CLASS	E
NOISE LEVE	47 dB
DELAY START	1-24 H
HALF LOAD	YES
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (cm)	598×60×84.5



WD690MX

WASH CAPACITY	14
NUMBER OF PROGRAMS	5
ENERGY CLASS	E
NOISE LEVE	47 dB
DELAY START	1-24 H
HALF LOAD	YES
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (cm)	598×60×84.5




WD661MX

WASH CAPACITY	12
NUMBER OF PROGRAMS	7
ENERGY CLASS	E
NOISE LEVE	49 dB
DELAY START	YES
HALF LOAD	YES
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (cm)	598 X 60 X 84.5



WD661M

WASH CAPACITY	12
NUMBER OF PROGRAMS	7
ENERGY CLASS	E
NOISE LEVE	49 dB
DELAY START	YES
HALF LOAD	YES
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (cm)	598 X 60 X 84.5



WD631M

WASH CAPACITY	12
NUMBER OF PROGRAMS	4
ENERGY CLASS	E
NOISE LEVE	49 dB
DELAY START	YES
HALF LOAD	YES
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (cm)	598 X 60 X 84.5



WD461MX

WASH CAPACITY	9
NUMBER OF PROGRAMS	7
ENERGY CLASS	E
NOISE LEVE	49 dB
DELAY START	YES
HALF LOAD	YES
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (cm)	448 X 60 X 84.5



WD461M

WASH CAPACITY	9
NUMBER OF PROGRAMS	7
ENERGY CLASS	E
NOISE LEVE	49 dB
DELAY START	YES
HALF LOAD	YES
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (cm)	448 X 60 X 84.5



WD431M

WASH CAPACITY	9
NUMBER OF PROGRAMS	4
ENERGY CLASS	E
NOISE LEVE	49 dB
DELAY START	YES
HALF LOAD	YES
COLOR	WHITE <input type="checkbox"/>
DIMENSIONS (cm)	448 X 60 X 84.5

BUILT-IN DISHWASHERS



WDI690M

WASH CAPACITY	14
NUMBER OF PROGRAMS	7
ENERGY CLASS	E
NOISE LEVE	44 dB
DELAY START	1-24 H
HALF LOAD	NO
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (cm)	448×60×84.5



WDI490M

WASH CAPACITY	10
NUMBER OF PROGRAMS	7
ENERGY CLASS	E
NOISE LEVE	44 dB
DELAY START	1-24 H
HALF LOAD	NO
COLOR	INOX <input checked="" type="checkbox"/>
DIMENSIONS (cm)	445×57×81.5



WDI661M

WASH CAPACITY	12
NUMBER OF PROGRAMS	4
ENERGY CLASS	E
NOISE LEVE	49 dB
DELAY START	YES
HALF LOAD	YES
COLOR	SILVER CONTROL PANEL <input checked="" type="checkbox"/>
DIMENSIONS (cm)	598 X 55 X 81.5



WDI690M

WASH CAPACITY	9
NUMBER OF PROGRAMS	4
ENERGY CLASS	E
NOISE LEVE	49 dB
DELAY START	YES
HALF LOAD	YES
COLOR	SILVER CONTROL PANEL <input checked="" type="checkbox"/>
DIMENSIONS (cm)	448 X 55 X 81.5



SMALL DOMESTIC APPLIANCES



KEY FEATURES



EASY CLEANING

The bowl and the blades are dishwasher friendly, while the cover is easy to hand-wash.



REMOVABLE BLENDER ATTACHMENT

Once finished cooking, just detach the blender and rinse it with water for easy cleaning and space-saving storage.



POWER AT YOUR FINGERTIPS

Powerful brushless motor with Turbo & Pulse functions with 6 speed seamless control makes daily tasks like grinding, mincing & chopping a breeze!



HANDS FREE

This mixer is a perfect device for a busy kitchen! Just add the ingredients and let it do the work, so you have plenty of time in hand.



STAINLESS STEEL BLADES

The blades are designed to extract all the nutrients: with this Tesla device, your fruit or vegetable drinks are full of vitamins and fiber.



USEFUL ACCESSORIES

Apart from the motor base and the cross blade, the device package includes a 1000 ml cup, a 700 ml cup, one sports lid and one storage lid.



NON-STICK PLATES

The plates are aluminum alloy with a non-stick coating, making them scratch-resistant and easy to clean—a perfect choice for your busy kitchen!



POWERFUL BLENDING


Stainless steel blades are positioned at the perfect cutting angle, in order to easily cut even through hard ingredients.

FOOD CHOPPER



FC302W

POWER	400 W
BOWL CAPACITY	1 L
NUMBER OF BLADES	4
BOWL MATERIAL	GLASS
COLOR	WHITE <input type="checkbox"/>
EASY CLEANING	YES
BIG LID PRESS BUTTON	YES
SAFETY SWITCH	YES
ACCESSORIES	NO
CABLE LENGTH (cm)	105



HAND BLENDERS




HB300BX

POWER	600 W
NUMBER OF SPEED LEVELS	2
COLOR	BLACK-INOX-RED <input type="checkbox"/>
EASY CLEANING	YES
DETACHABLE SHAFT	YES
CABLE LENGTH (cm)	113



HB100WG

POWER	200 W
NUMBER OF SPEED LEVELS	1
COLOR	WHITE-GRAY <input type="checkbox"/>
EASY CLEANING	YES
DETACHABLE SHAFT	YES
CABLE LENGTH (cm)	115



KITCHEN ROBOT



KR600RA

POWER	1000 W
COLOR	RED METALIC <input type="checkbox"/>
SPEED	6
TURBO FUNCTION	YES
AL-DOUGH HOOK	YES
BALLOON WHISK	YES
AL- FLAT BEATER	YES
BOWL	YES
BOWL COVER	YES
BOWL CAPACITY(L)	5L STAINLESS STEEL
JAR	1.5 L



KITCHEN ROBOT - 3 - IN - 1 MASTER

This unique device comes with a 1.7-litre blender, a 5-litre mixer bowl, and a meat grinder, all combined into one to automate your kitchen tasks. A powerful 1000 W motor with 6-speed seamless control, turbo, and pulse functions gives you unrivalled power. The beautiful cherry-red gloss finish makes it irresistible.

MIXERS



MX505WXB

POWER	500 W
COLOR	WHITE-INOX <input type="checkbox"/>
SPEED	5
TURBO FUNCTION	YES
BOWL CAPACITY (L)	3.2



MX501WRB

POWER	500 W
COLOR	WHITE-RED <input type="checkbox"/>
SPEED	5
TURBO FUNCTION	YES
BOWL CAPACITY (L)	3



MX502BX

POWER	500 W
COLOR	BLACK-INOX <input type="checkbox"/>
SPEED	5
TURBO FUNCTION	YES
BOWL CAPACITY(L)	NO



MX500WX

POWER	500 W
COLOR	WHITE-INOX <input type="checkbox"/>
SPEED	5
TURBO FUNCTION	YES



MX301BX

POWER	300 W
COLOR	BLACK-INOX <input type="checkbox"/>
SPEED	6
TURBO FUNCTION	YES
BOWL CAPACITY(L)	NO



BLENDERS



BL601BX

POWER 1400 W
COLOR INOX - BLACK ☐ ☒
SPEED STEPLESS SPEED CONTROL
BOWL MATERIAL GLASS
BOWL CAPACITY(L) 1.75L
KNIVES 6 STAINLESS STEEL BLADE
FUNCTIONS PULSE, SMOOTH, ICE CRUSH, CLEAN



BL202B

POWER 500 W
COLOR BLACK ☒
SPEED 2
BOWL MATERIAL PLASTIC
BOWL CAPACITY(L) 1.5L
KNIVES 4 STAINLESS STEEL BLADE
FUNCTIONS PULSE



BL201W

POWER 500 W
COLOR WHITE ☐
SPEED 2
BOWL MATERIAL PLASTIC
BOWL CAPACITY(L) 1.5L
KNIVES 4 STAINLESS STEEL BLADE
FUNCTIONS PULSE



NB301BXA

POWER 1000 W
ROTATION SPEED (RPM) 22000
COLOR GREY-BLACK ☐ ☒
BLADE MATERIAL STAINLESS STEEL
NUMBER OF BLADES WHITE
CABLE LENGTH (CM) YES
ACCESSORIES 1PCS CROSS BLADE / 1PCS OF 1000ML CUP / 1PCS OF 700ML CUP / 1PCS OF SPORTS LID / 1PCS OF STORAGE LID
FUNCTIONS MAKING SMOOTHIE, BABY FOOD, COCKTAILS, SOUPS, SAUCES AND OTHER MEALS, EXTRACTS THE NUTRIENTS FROM SEEDS, GRAINS, NUTS, FRUITS & VEGETABLES



NUTRI BLENDER

CITRUS JUICERS



CJ301BX

POWER 300 W
COLOR INOX - BLACK ☐ ☒
CONE 2
BOWL CAPACITY 650 ML
BOWL MATERIAL PLASTIC
CABLE LENGTH (cm) 97 cm



CJ100WG

POWER 40 W
COLOR WHITE-GREEN ☐ ☒
CONE 2
BOWL CAPACITY 700 ML
BOWL MATERIAL PLASTIC
CABLE LENGTH (cm) 85 cm



SANDWICH/WAFLE MAKERS



WM200BX

POWER 1000 W
COLOR INOX - BLACK ☐ ☒
PLATE SIZE 230X168 mm
WORKING TEMPERATURE (°C) LOW - 140°, HIGH - 220°



SM100W

POWER 750 W
COLOR WHITE ☐
PLATE SIZE 215X125 mm
WORKING TEMPERATURE (°C) LOW - 135°, HIGH - 205°



TOASTERS



TS300BXW

POWER 800 W
COLOR WHITE-INOX- BLACK ☐ ☐ ☒
NUMBER OF SLICES 2-SLICE
REMOVABLE CRUMB TRAY YES
BREAD SIZE 135 * 100*34 mm
DEFROST YES
REHEAT YES
CENTERS BREAD AUTOMATICALLY YES
HEATER TYPE NICHROME WIRE



TS200BX

POWER 700 W-850 W
COLOR BLACK - INOX ☒ ☐
NUMBER OF SLICES 2-SLICE
REMOVABLE CRUMB TRAY YES
DEFROST YES
REHEAT YES
CENTERS BREAD AUTOMATICALLY YES
HEATER TYPE NICHROME WIRE



KEY FEATURES

KETTLES



POWERFUL AND EFFICIENT

Family or friends gathering? No problem! Our 2200 W devices boil water faster, and their 1.7 L capacity ensures quick serving.



OVERHEATING PROTECTION

Kettle auto-off at 100°C, also turns off if no or insufficient water. Safety ensured!



STRIX TECHNOLOGY

Strix kettle control is designed to comply with all relevant international standards, manufactured to exceed 12,000 cycles of normal operation.



KT500X

POWER	1850 W-2200 W
COLOR	INOX <input checked="" type="checkbox"/>
CAPACITY	1.7L
STRIX CONTROL	YES
BODY MATERIAL	STAINLESS STEEL
	304 - PLASTIC
VISIBLE WATER LEVEL	OUTSIDE
ON/OFF SWITCH	YES
PROTECTION	YES



KT300X

POWER	1850 W-2200 W
COLOR	GLASS - INOX <input checked="" type="checkbox"/>
CAPACITY	1.7L
STRIX CONTROL	YES
BODY MATERIAL	GLASS AND 304
	STAINLESS STEEL
VISIBLE WATER LEVEL	OUTSIDE
ON/OFF SWITCH	YES
PROTECTION	YES



KT301BX

POWER	1850 W-2200 W
COLOR	BLACK - INOX <input checked="" type="checkbox"/>
CAPACITY	1.5L
STRIX CONTROL	YES
BODY MATERIAL	INOX - PLASTIC
VISIBLE WATER LEVEL	INSIDE
ON/OFF SWITCH	YES
PROTECTION	YES



KT200WX

POWER	1850W-2200 W
COLOR	WHITE - INOX <input checked="" type="checkbox"/>
CAPACITY	1.7L
STRIX CONTROL	YES
BODY MATERIAL	PLASTIC - INOX
VISIBLE WATER LEVEL	OUTSIDE
ON/OFF SWITCH	YES
PROTECTION	YES



KEY FEATURES

STEAM IRONS




SAY GOODBYE TO CREASES

Steam boost at 135 g/min for tough wrinkles and vertical steaming. Continuous 25 g/min steam for easy crease removal



ANTI-CALC FEATURE

Enjoy smooth ironing with advanced non-stick tech and easy cleaning thanks to the anti-calc feature



VERTICAL STEAMING

Refresh and remove creases easily with this feature. Large water tank with anti-drip to protect clothes from stains during ironing

IR400GP



POWER	3100 W
COLOR	GREY - PURPLE <input type="checkbox"/>
STEAM BOOST (g/min)	135
ANTI CALC	YES
SOLEPLATE TECHNOLOGY	CERAMIC
CONTINUOUS STEAM OUTPUT (g/min)	UP TO 25
WATER TANK CAPACITY (ml)	380
ANTI DRIP	YES
AUTO SHUT OFF FUNCTION	YES
FUNCTIONS	DRY / STEAM / SPRAY / BURST / VERTICAL STEAM
POWER ON INDICATOR	YES
SPRAY BUTTON	YES
CABLE LENGTH (cm)	190
ACCESSORIES	CONTAINER FOR ADDING WATER



IR302BL



POWER	2400 W
COLOR	BLUE-BLACK- WHITE <input type="checkbox"/>
STEAM BOOST (g/min)	135
ANTI CALC	YES
SOLEPLATE TECHNOLOGY	CERAMIC
CONTINUOUS STEAM OUTPUT (g/min)	UP TO 25
WATER TANK CAPACITY (ml)	380
ANTI DRIP	YES
AUTO SHUT OFF FUNCTION	YES
FUNCTIONS	DRY / STEAM / SPRAY / BURST / VERTICAL STEAM/ SPRAYING STEAM
POWER ON INDICATOR	YES
SPRAY BUTTON	YES
CABLE LENGTH (cm)	190
ACCESSORIES	CONTAINER FOR ADDING WATER



IR301BL



POWER	2600 W
COLOR	BLUE - WHITE <input type="checkbox"/>
STEAM BOOST (g/min)	135
ANTI CALC	YES
SOLEPLATE TECHNOLOGY	CERAMIC
CONTINUOUS STEAM OUTPUT (g/min)	UP TO 25
WATER TANK CAPACITY (ml)	400
ANTI DRIP	YES
AUTO SHUT OFF FUNCTION	NO
FUNCTIONS	DRY / STEAM / SPRAY / BURST / VERTICAL STEAM
POWER ON INDICATOR	YES
SPRAY BUTTON	YES
CABLE LENGTH (cm)	190
ACCESSORIES	CONTAINER FOR ADDING WATER



IR200R



POWER	2200 W
COLOR	RED - WHITE <input type="checkbox"/>
STEAM BOOST (g/min)	90
ANTI CALC	YES
SOLEPLATE TECHNOLOGY	CERAMIC
CONTINUOUS STEAM OUTPUT (g/min)	UP TO 20
WATER TANK CAPACITY (ml)	300
ANTI DRIP	YES
AUTO SHUT OFF FUNCTION	NO
FUNCTIONS	DRY / STEAM / SPRAY / BURST / VERTICAL STEAM
POWER ON INDICATOR	YES
SPRAY BUTTON	YES
CABLE LENGTH (cm)	190
ACCESSORIES	CONTAINER FOR ADDING WATER



INDUCTION COOKERS

IC200B



POWER	2200 W
COLOR	BLACK ■
CONTROLLER	PUSH BUTTON
PLATE	CERAMIC
AUTO SHUT OFF	YES
PLATE SIZE	250x250 mm
SIZE OF HEATING ZONE	180 mm
POWER LEVELS	8
OVER HEAT PROTECTION	YES
VOLTAGE PROTECTION	YES
OVERCURRENT PROTECTION	YES
INTELLIGENT COOKING PROGRAM	6
CHILD SAFETY LOCK	YES

IC200B



POWER	2000 W
COLOR	BLACK ■
CONTROLLER	TOUCH SENSOR
PLATE	BLACK CRYSTAL GLASS
AUTO SHUT OFF	YES
PLATE SIZE	250x250 mm
SIZE OF HEATING ZONE	200 mm
POWER LEVELS	8
OVER HEAT PROTECTION	YES
VOLTAGE PROTECTION	YES
OVERCURRENT PROTECTION	YES
INTELLIGENT COOKING PROGRAM	9
CHILD SAFETY LOCK	YES

IC401B



POWER	2000 W
COLOR	BLACK ■
CONTROLLER	SMART TOUCH SENSOR
PLATE	BLACK CRYSTAL GLASS
AUTO SHUT OFF	YES
PLATE SIZE	250x250 mm
SIZE OF HEATING ZONE	200 mm
POWER LEVELS	8
OVER HEAT PROTECTION	YES
VOLTAGE PROTECTION	YES
OVERCURRENT PROTECTION	YES
INTELLIGENT COOKING PROGRAM	N/A
CHILD SAFETY LOCK	N/A

BATHROOM SCALES

BS301BX



POWER	2XAAA BATTERY
COLOR	WHITE - INOX □
CAPACITY	3- 180 kg
DATA LOCK FUNCTION	YES
AUTO SHUT OFF FUNCTION	YES
WEIGHT	1,25 kg
DIMENSIONS (mm) (W X H X D)	23X300X300 mm

BS103W



POWER	2XAAA BATTERY
COLOR	WHITE □
CAPACITY	3- 180 kg
DATA LOCK FUNCTION	YES
AUTO SHUT OFF FUNCTION	YES
WEIGHT	1,25 kg
DIMENSIONS (mm) (W X H X D)	23X300X300 mm

BS102B



POWER	2XAAA BATTERY
COLOR	BLACK ■
CAPACITY	3- 180 kg
DATA LOCK FUNCTION	YES
AUTO SHUT OFF FUNCTION	YES
WEIGHT	1,25 kg
DIMENSIONS (mm) (W X H X D)	23X300X300 mm

KITCHEN SCALES

KS100BL



POWER	2XAAA BATTERY
COLOR	BLUE ■
CAPACITY	5 kg
DATA LOCK FUNCTION	YES
AUTO SHUT OFF FUNCTION	YES
WEIGHT	400 g
DIMENSIONS (mm) (W X H X D)	145X18X200 mm

KS101P



POWER	2XAAA BATTERY
COLOR	PINK ■
CAPACITY	5 kg
DATA LOCK FUNCTION	YES
AUTO SHUT OFF FUNCTION	YES
WEIGHT	400 g
DIMENSIONS (mm) (W X H X D)	145X18X200 mm

KEY FEATURES

SILICONE DELIGHT COLLECTION



SILICONE HOUSING

Carefully designed with a silicone-covered housing, this collection features a chopper, mixer, blender, and hand blender for effortless use. Let it inspire you!



CORD STORAGE

For a picture-perfect look of your kitchen area, the cables can be conveniently stored right beneath the device base.



SS BLADES

Stainless steel blades are positioned at the perfect cutting angle in order to easily cut, even through hard ingredients.



FC510BWS

POWER
COLOR
BOWL CAPACITY
NUMBER OF BLADES
BOWL MATERIAL
EASY CLEANING
BIG LID PRESS BUTTON
SAFETY SWITCH
CABLE LENGTH (cm)

350 W
BLUE-WHITE ☒ ☐
1 L
2
GLASS
YES
YES
YES
80



BL510BWS

POWER
COLOR
BOWL CAPACITY
BOWL MATERIAL
KNIVES

500 W
BLUE-WHITE ☒ ☐
1.5L
GLASS
4 STAINLESS STEEL BLADE



MX510BWS

POWER
COLOR
SPEED LEVELS
TURBO FUNCTION
BOWL CAPACITY (L)

350 W
BLUE-WHITE ☒ ☐
5
YES
NO



HB510BWS

POWER
COLOR
NUMBER OF BLADES
EASY CLEANING
DETACHABLE SHAFT
CABLE LENGTH (cm)

600 W
BLUE-WHITE ☒ ☐
4
YES
YES
106

MICROWAVE OVENS



KEY FEATURES



EASY CLEANING

Our microwaves are easy to clean; they do not absorb moisture, smells or food aromas. No new dish will smell like the previous one!



CRISPY GRILL

Prepare food that is crispy on the outside, but juicy inside! The new cooking feature will open a whole new world of taste.



PRESET FUNCTION & AUTO MENU

Just pick the food type and weight, and the oven will do the rest, adjusting power and time. The memory function is handy for your favorite dishes!

CONVECTION MICROWAVES



MW4260MBC/G

POWER	1000 W
TYPE	CONVECTION
CONVECTION POWER	1900 W
OVEN CAPACITY	42 L
TYPE OF CONTROL	DIGITAL
EXPRESS COOKING	YES
GRILL POWER	2700 W
COLOR	BLACK
	STAINLESS STEEL <input type="checkbox"/>



MW3490MBC/G

POWER	900-1000 W
TYPE	CONVECTION PULL DOWN DOOR
CONVECTION POWER	2150-2400 W
OVEN CAPACITY	34 L
TYPE OF CONTROL	DIGITAL
STEAM CLEAN FUNCTION	YES
GRILL POWER	2150-2400 W
COLOR	BLACK
	STAINLESS STEEL <input type="checkbox"/>



MW3460MSC/G

POWER	1000 W
TYPE	CONVECTION
CONVECTION POWER	2500 W
OVEN CAPACITY	34 L
TYPE OF CONTROL	DIGITAL
EXPRESS COOKING	YES
GRILL POWER	1100 W
COLOR	SILVER
	STAINLESS STEEL <input type="checkbox"/>



MW2890MBC/G

POWER	900 W
TYPE	CONVECTION
CONVECTION POWER	2500 W
OVEN CAPACITY	28 L
TYPE OF CONTROL	DIGITAL
EXPRESS COOKING	YES
GRILL POWER	1100 W
COLOR	BLACK, STAINLESS STEEL <input type="checkbox"/>

REGULAR MICROWAVES



MW2560MS/G

POWER	900 W
OVEN CAPACITY	25 L
TYPE OF CONTROL	DIGITAL
EXPRESS COOKING	YES
GRILL POWER	1000 W
COLOR	SILVER <input type="checkbox"/>



MW2530MW/G

POWER	900 W
OVEN CAPACITY	25 L
TYPE OF CONTROL	MECHANICAL
GRILL POWER	1000 W
COLOR	WHITE <input type="checkbox"/>



MW2391MB/G

POWER	900 W
OVEN CAPACITY	23 L
TYPE OF CONTROL	DIGITAL
EXPRESS COOKING	YES
GRILL POWER	1000 W
COLOR	BLACK <input type="checkbox"/>



MW2060MS/G

POWER	700 W
OVEN CAPACITY	20 L
TYPE OF CONTROL	DIGITAL
EXPRESS COOKING	YES
GRILL POWER	1000 W
COLOR	SILVER <input type="checkbox"/>



MW2030MW/G

POWER	700 W
OVEN CAPACITY	20 L
TYPE OF CONTROL	MECHANICAL
COLOR	WHITE <input type="checkbox"/>

AIR FRYERS



KEY FEATURES



NON STICK COATING

The non-stick coating (Food Gade) facilitates easy food release and prevents residues from sticking to the surface, making cleaning a breeze.



TOUCH BUTTONS

Eating healthier just got simpler with the Touch Button feature. Crisp up your veggies with a tap and savor the goodness guilt-free!



AUTO POWER CUT OFF

Tesla Air Fryer's auto power cut-off feature ensures that the appliance switches off when your meal is done, offering you peace of mind and perfectly cooked food.



VISIBLE WINDOW TYPE -
INTERIOR LIGHTING



AF703

CAPACITY	7.0 L
POWER	1800 W
NO OIL HEALTHY FRYING	YES
ONE-TOUCH COOKING FUNCTIONS	12
CONTROL PANEL	DIGITAL
INTELLIGENT TOUCHING CONTROL	YES
TEMPERATURE CONTROL	60-200°C (90F-400F)
TIME CONTROL	0 - 60 Mins
EASY CLEAN-UP	YES
AUTOMATIC POWER OFF	YES
OVERHEATING PROTECTION	YES
FOOD GRADE NON-STICK COATING	YES
SUS304 HEATING ELEMENT	YES
AUTOMATIC SHUT-OFF	YES
PRODUCT NET SIZE	320 X 380 X 360 mm
NETWEIGHT	5.7 kg
VOLTAGE	220V - 240V-
FREQUENCY	50Hz
CORD LENGTH	90 cm



AF701

CAPACITY	7.0 L
POWER	1700 W
NO OIL HEALTHY FRYING	YES
ONE-TOUCH COOKING FUNCTIONS	12
CONTROL PANEL	DIGITAL
INTELLIGENT TOUCHING CONTROL	YES
TEMPERATURE CONTROL	60-200°C (90F-400F)
TIME CONTROL	0 - 60 Mins
EASY CLEAN-UP	YES
AUTOMATIC POWER OFF	YES
OVERHEATING PROTECTION	YES
FOOD GRADE NON-STICK COATING	YES
SUS304 HEATING ELEMENT	YES
AUTOMATIC SHUT-OFF	YES
PRODUCT NET SIZE	320 X 380 X 360 mm
NETWEIGHT	5.7 kg
VOLTAGE	220V - 240V-
FREQUENCY	50Hz
CORD LENGTH	90 cm



AF501

CAPACITY	5.0 L
POWER	1300 W
NO OIL HEALTHY FRYING	YES
ONE-TOUCH COOKING FUNCTIONS	12
CONTROL PANEL	DIGITAL
INTELLIGENT TOUCHING CONTROL	YES
TEMPERATURE CONTROL	60-200°C (90F-400F)
TIME CONTROL	0 - 60 Mins
EASY CLEAN-UP	YES
AUTOMATIC POWER OFF	YES
OVERHEATING PROTECTION	YES
FOOD GRADE NON-STICK COATING	YES
SUS304 HEATING ELEMENT	YES
AUTOMATIC SHUT-OFF	YES
PRODUCT NET SIZE	290 X 350 X 340 mm
NETWEIGHT	5.4 kg
VOLTAGE	220V - 240V-
FREQUENCY	50Hz
CORD LENGTH	90 cm



TESLA

Technology for all

Address

TESLA INNOVATION DMCC
1 Lake Plaza, Office No. 2207,
Jumeirah Lake Tower - DUBAI, UAE

Need help?

+971 4 568 9587
info@teslainnovation.net
Sales@teslainnovation.net



www.teslainnovation.net